

09/046840
attachment to
Paper # 4

FILE 'USPAT' ENTERED AT 14:51:08 ON 04 JUN 1998

* W E L C O M E T O T H E *
* U . S . P A T E N T T E X T F I L E *

=> s retrovir? and adeno-associated

4135 RETROVIR?
674 ADENO
786807 ASSOCIATED
205 ADENO-ASSOCIATED
(ADENO(W) ASSOCIATED)

COMMAND INTERRUPTED

=> s retrovir? and adeno-associated and vector?

4135 RETROVIR?
674 ADENO
786807 ASSOCIATED
205 ADENO-ASSOCIATED
(ADENO(W) ASSOCIATED)
66390 VECTOR?

L1 177 RETROVIR? AND ADENO-ASSOCIATED AND VECTOR?

=> s l1 and packaging

74662 PACKAGING
L2 84 L1 AND PACKAGING

=> d 12,1-84,cit

1. 5,756,684, May 26, 1998, Cloning and expression of PUR protein; Edward M. Johnson, et al., 530/388.21; 435/69.1, 69.7, 172.1 [IMAGE AVAILABLE]
2. 5,756,671, May 26, 1998, CDC37 cell-cycle regulatory protein, and uses related thereto; Jeno Gyuris, et al., 530/350, 300 [IMAGE AVAILABLE]
3. 5,753,500, May 19, 1998, Helper-free stocks of recombinant **adeno-associated virus vectors**; Thomas E. Shenk, et al., 435/320.1, 172.3, 235.1; 935/32 [IMAGE AVAILABLE]
4. 5,753,499, May 19, 1998, Viral **vector** complexes having adapters of predefined valence; Daniel Meruelo, et al., 435/320.1, 172.3; 514/44 [IMAGE AVAILABLE]
5. 5,750,396, May 12, 1998, Stable virus **packaging** cell lines; Yanping Yang, et al., 435/357, 320.1, 366; 536/23.72, 24.1 [IMAGE AVAILABLE]
6. 5,750,367, May 12, 1998, Human and mouse very low density lipoprotein receptors and methods for use of such receptors; Lawrence C. B. Chan, 435/69.1, 69.6, 70.1, 70.3, 71.1, 243, 320.1, 325, 410; 536/23.1, 23.5, 24.1; 935/22, 33 [IMAGE AVAILABLE]

7. 5,747,659, May 5, 1998, Fusion gene products encoding avian alpha subunit inhibin protein or an immunogenic fragment thereof, and a carrier protein; William C. Fioretti, et al., 536/23.4; 435/69.4, 69.7, 172.3, 252.3, 320.1, 325; 536/23.51 [IMAGE AVAILABLE]
8. 5,747,469, May 5, 1998, Methods and compositions comprising DNA damaging agents and p53; Jack A. Roth, et al., 514/44; 435/172.3, 320.1; 514/2 [IMAGE AVAILABLE]
9. 5,747,292, May 5, 1998, Chimeric cytokine receptors in lymphocytes; Philip D. Greenberg, et al., 435/69.7, 252.3, 320.1; 530/350; 536/23.4 [IMAGE AVAILABLE]
10. 5,747,245, May 5, 1998, Nucleic acids encoding Fas associated proteins and screening assays using same; John C. Reed, et al., 435/6, 91.2; 536/23.1, 24.3, 24.33 [IMAGE AVAILABLE]
11. 5,744,343, Apr. 28, 1998, Ubiquitin conjugating enzymes; Giulio Draetta, et al., 435/193, 252.3, 254.11, 320.1, 325; 536/23.2, 23.4 [IMAGE AVAILABLE]
12. 5,741,899, Apr. 21, 1998, Chimeric receptors comprising janus kinase for regulating cellular proliferation; Daniel J. Capon, et al., 536/23.4; 435/69.7, 320.1, 325, 377; 530/350, 387.3 [IMAGE AVAILABLE]
13. 5,741,706, Apr. 21, 1998, Anti-HIV ribozymes; Markley C. Leavitt, et al., 435/372, 6, 91.31, 172.3, 320.1, 325, 366; 536/23.1, 23.2, 24.5 [IMAGE AVAILABLE]
14. 5,739,310, Apr. 14, 1998, Ribosomes as **vectors** for RNA; Meng-Chao Yao, et al., 536/24.5; 435/172.3, 243, 320.1, 325; 536/24.2 [IMAGE AVAILABLE]
15. 5,738,852, Apr. 14, 1998, Methods of enhancing antigen-specific T cell responses; William S. Robinson, et al., 424/199.1, 93.2, 278.1; 435/320.1; 514/44 [IMAGE AVAILABLE]
16. 5,736,388, Apr. 7, 1998, Bacteriophage-mediated gene transfer systems capable of transfecting eukaryotic cells; Sunil Chada, et al., 435/320.1; 424/93.6; 435/172.3, 235.1; 514/44 [IMAGE AVAILABLE]
17. 5,731,182, Mar. 24, 1998, Non-mammalian DNA virus to express an exogenous gene in a mammalian cell; Frederick M. Boyce, 435/183, 69.1, 70.1, 320.1 [IMAGE AVAILABLE]
18. 5,725,858, Mar. 10, 1998, Methods of enhancing production performance of birds comprising administration of heterologous protein comprising avian alpha-subunit inhibin protein; William C. Fioretti, et al., 424/192.1, 184.1, 185.1, 193.1, 195.11, 198.1; 514/2, 8, 12 [IMAGE AVAILABLE]
19. 5,723,581, Mar. 3, 1998, Murine and human box-dependent myc-interacting protein (Bin1); George C. Prendergast, et al., 530/350, 827, 828 [IMAGE AVAILABLE]
20. 5,723,333, Mar. 3, 1998, Human pancreatic cell lines: developments and uses; Fred Levine, et al., 435/325, 320.1, 377, 378 [IMAGE AVAILABLE]
21. 5,721,351, Feb. 24, 1998, Compositions and methods for the treatment and diagnosis of immune disorders; Douglas Adam Levinson, 536/23.4; 435/8; 536/22.1, 23.1 [IMAGE AVAILABLE]
22. 5,712,149, Jan. 27, 1998, Chimeric receptor molecules for delivery of co-stimulatory signals; Margo R. Roberts, 435/252.3, 69.7, 320.1; 530/350; 536/23.4 [IMAGE AVAILABLE]

23. 5,707,618, Jan. 1998, Adenovirus **vectors** for gene therapy; Donna Armentano, et al., 424/93.21, 93.2; 435/172.3, 320.1; 514/44 [IMAGE AVAILABLE]
24. 5,700,657, Dec. 23, 1997, **Vectors** and **vector** systems including genes encoding tumor suppressor proteins and producer cells transformed thereby; Gary A. Beaudry, et al., 435/69.1, 91.33, 235.1, 325 [IMAGE AVAILABLE]
25. 5,698,446, Dec. 16, 1997, Methods and compositions for inhibiting production of replication competent virus; Wolfgang M. Klump, et al., 435/350, 320.1, 366 [IMAGE AVAILABLE]
26. 5,698,443, Dec. 16, 1997, Tissue specific viral **vectors**; Daniel Robert Henderson, et al., 435/320.1; 424/93.21; 435/172.3, 252.3; 514/2, 44 [IMAGE AVAILABLE]
27. 5,693,522, Dec. 2, 1997, Anti-cancer immunotherapeutics; Sunil Chada, et al., 435/325, 172.3, 320.1, 350, 353, 357, 364, 366; 536/23.1 [IMAGE AVAILABLE]
28. 5,693,508, Dec. 2, 1997, **Retroviral** expression **vectors** containing MoMLV/CMV-IE/HIV-TAR chimeric long terminal repeats; Lung-Ji Chang, 435/172.3, 69.1, 320.1; 536/24.1 [IMAGE AVAILABLE]
29. 5,691,306, Nov. 25, 1997, Methods of detection and treatment of protein trafficking disorders and increasing secretory protein production; John J. M. Bergeron, et al., 514/11; 435/70.1 [IMAGE AVAILABLE]
30. 5,691,176, Nov. 25, 1997, Recombinant **adeno-associated** virus **vector packaging** cells and methods for use; Jane S. Lebkowski, et al., 435/172.3, 235.1, 320.1, 325; 536/23.1 [IMAGE AVAILABLE]
31. 5,688,773, Nov. 18, 1997, Method of selectively destroying neoplastic cells; E. Antonio Chiocca, et al., 514/44; 424/93.1, 93.21; 435/172.3, 320.1 [IMAGE AVAILABLE]
32. 5,686,595, Nov. 11, 1997, Bcl-2-associated proteins; John C. Reed, et al., 536/23.5; 435/172.3; 536/23.1, 24.5 [IMAGE AVAILABLE]
33. 5,686,281, Nov. 11, 1997, Chimeric receptor molecules for delivery of co-stimulatory signals; Margo R. Roberts, 435/172.3, 7.1, 7.2, 69.7; 536/23.4 [IMAGE AVAILABLE]
34. 5,681,731, Oct. 28, 1997, Method for producing recombinant **adeno-associated** virus **vectors**; Jane S. Lebkowski, et al., 435/172.3, 320.1, 354, 366; 536/23.1 [IMAGE AVAILABLE]
35. 5,681,706, Oct. 28, 1997, Mammalian anoxia-responsive regulatory element; Garth R. Anderson, et al., 435/6, 69.1, 91.1, 172.3, 320.1, 353, 375; 536/24.1 [IMAGE AVAILABLE]
36. 5,672,686, Sep. 30, 1997, Bcl-Y - specific antibodies; Thomas D. Chittenden, 530/387.9, 388.2, 389.1, 391.3 [IMAGE AVAILABLE]
37. 5,672,508, Sep. 30, 1997, Inhibitors of cell-cycle progression, and uses related thereto; Jeno Gyuris, et al., 435/320.1; 536/23.4, 23.5 [IMAGE AVAILABLE]
38. 5,672,479, Sep. 30, 1997, Methods for identifying compounds that bind to PUR protein; Edward M. Johnson, et al., 435/7.1, 7.23, 7.71, 7.93; 530/300, 358; 935/39, 41 [IMAGE AVAILABLE]

39. 5,670,488, Sep. 22, 1997, Adenovirus **vector** for gene therapy; Richard J. Gregory, et al., 514/44; 424/93.2; 435/320.1; 935/62 [IMAGE AVAILABLE]
40. 5,670,361, Sep. 23, 1997, HIV-specific ribozymes; Flossie Wong-Staal, et al., 435/354, 320.1, 357, 363, 366, 372, 372.3; 536/23.1 [IMAGE AVAILABLE]
41. 5,670,347, Sep. 23, 1997, Peptide-mediated gene transfer; T. Venkat Gopal, 435/172.1, 172.3, 320.1; 935/55 [IMAGE AVAILABLE]
42. 5,667,777, Sep. 16, 1997, Delivery of gene products via mesangial cells; Masanori Kitamura, 424/93.1, 93.2, 93.21; 435/69.1, 69.7, 71.1, 172.3; 935/62, 70, 71 [IMAGE AVAILABLE]
43. 5,665,588, Sep. 9, 1997, DNA encoding natural killer lytic associated protein; Jackie Kornbluth, 435/348, 172.3, 252.33, 320.1, 325, 372; 536/23.1, 23.5 [IMAGE AVAILABLE]
44. 5,663,064, Sep. 2, 1997, Ribozymes with RNA protein binding site; John M. Burke, et al., 435/172.3, 6, 91.31, 172.1, 320.1, 325, 410; 514/44; 536/23.1, 23.2, 24.5 [IMAGE AVAILABLE]
45. 5,662,896, Sep. 2, 1997, Compositions and methods for cancer immunotherapy; Jack R. Barber, et al., 424/93.2, 93.1; 435/320.1; 514/44 [IMAGE AVAILABLE]
46. 5,658,785, Aug. 19, 1997, **Adeno-associated** virus materials and methods; Philip R. Johnson, 435/367, 320.1, 325, 369 [IMAGE AVAILABLE]
47. 5,658,776, Aug. 19, 1997, Generation of high titers of recombinant AAV **vectors**; Terence R. Flotte, et al., 435/172.3, 91.4, 320.1, 352, 363, 366, 367, 369, 371 [IMAGE AVAILABLE]
48. 5,658,565, Aug. 19, 1997, Inducible nitric oxide synthase gene for treatment of disease; Timothy R. Billiar, et al., 424/93.21, 93.1, 93.2; 435/172.3, 189, 191, 235.1, 320.1; 514/44; 536/23.1, 23.2, 23.5; 935/9, 22, 32, 60 [IMAGE AVAILABLE]
49. 5,656,465, Aug. 12, 1997, Methods of in vivo gene delivery; Dennis L. Panicali, et al., 435/172.3, 320.1; 935/23, 32, 55, 57, 70, 71 [IMAGE AVAILABLE]
50. 5,656,438, Aug. 12, 1997, CAIP-like gene family; Yen-Ming Hsu, 435/7.1, 7.2; 530/387.9, 388.73, 388.75 [IMAGE AVAILABLE]
51. 5,654,168, Aug. 5, 1997, Tetracycline-inducible transcriptional activator and tetracycline-regulated transcription units; Hermann Bujard, et al., 435/69.1, 172.3, 320.1; 536/23.7, 24.1 [IMAGE AVAILABLE]
52. 5,652,224, Jul. 29, 1997, Methods and compositions for gene therapy for the treatment of defects in lipoprotein metabolism; James M. Wilson, et al., 514/44; 424/93.21; 435/172.3, 320.1, 325, 354, 366, 369, 370 [IMAGE AVAILABLE]
53. 5,650,491, Jul. 22, 1997, BCL-2-associated proteins; John C. Reed, et al., 530/350, 300 [IMAGE AVAILABLE]
54. 5,650,309, Jul. 22, 1997, Viral **vectors**; Flossie Wong-Staal, et al., 435/172.3, 320.1, 325, 366, 372, 372.3; 536/23.1, 24.1, 24.5 [IMAGE AVAILABLE]
55. 5,650,306, Jul. 22, 1997, Recombinant nucleic acids for inhibiting HIV gene expression; Gary J. Nabel, et al., 435/172.3, 320.1; 536/23.72,

24.1, 24.5 [IMAGE AVAILABLE]

56. 5,646,034, Jul. 8, 1997, Increasing rAAV titer; Michael Mamounas, et al., 435/325, 91.4, 172.3, 320.1 [IMAGE AVAILABLE]

57. 5,646,011, Jul. 8, 1997, Cisplatin resistance gene and uses therefor; Shiro Yokoyama, 435/69.1, 172.3, 189, 252.3, 254.1, 320.1, 325, 348; 536/23.2, 24.1 [IMAGE AVAILABLE]

58. 5,641,866, Jun. 24, 1997, Bcl-2-associated proteins; John C. Reed, et al., 530/387.7; 435/7.23; 530/388.1, 388.8, 389.7 [IMAGE AVAILABLE]

59. 5,641,748, Jun. 24, 1997, Caip-like gene family; Yen-Ming Hsu, 514/12; 435/7.8; 530/324, 350 [IMAGE AVAILABLE]

60. 5,639,661, Jun. 17, 1997, Genes and proteins for treating cystic fibrosis; Michael J. Welsh, et al., 435/252.3, 320.1; 536/23.5, 24.3 [IMAGE AVAILABLE]

61. 5,632,994, May 27, 1997, Fas associated proteins; John C. Reed, et al., 424/198.1, 185.1, 192.1; 435/7.1, 7.2, 7.9; 530/387.3, 387.9 [IMAGE AVAILABLE]

62. 5,622,856, Apr. 22, 1997, High efficiency helper system for AAV **vector** production; Georges Natsoulis, 435/325, 69.1, 320.1, 348, 366, 367, 369; 536/23.72 [IMAGE AVAILABLE]

63. 5,616,487, Apr. 1, 1997, Stabilized **retrovirus** compositions; Bernhard O. Palsson, et al., 435/235.1, 172.3 [IMAGE AVAILABLE]

64. 5,604,090, Feb. 18, 1997, Method for increasing transduction of cells by **adeno-associated** virus **vectors**; Ian E. Alexander, et al., 435/5; 424/93.2; 435/172.3 [IMAGE AVAILABLE]

65. 5,589,377, Dec. 31, 1996, Recombinant **adeno-associated** virus **vectors**; Jane S. Lebkowski, et al., 435/369, 235.1, 320.1, 366, 367; 935/32 [IMAGE AVAILABLE]

66. 5,589,362, Dec. 31, 1996, Tetracycline regulated transcriptional modulators with altered DNA binding specificities; Hermann Bujard, et al., 435/69.1, 172.3; 536/23.4, 24.1; 935/6, 10, 34, 36, 47 [IMAGE AVAILABLE]

67. 5,587,308, Dec. 24, 1996, Modified **adeno-associated** virus **vector** capable of expression from a novel promoter; Barrie J. Carter, et al., 435/371, 69.1, 320.1, 366; 536/23.1, 23.5, 24.1 [IMAGE AVAILABLE]

68. 5,585,254, Dec. 17, 1996, Autonomous parvovirus gene delivery vehicles and expression **vectors**; Ian H. Maxwell, et al., 435/172.3; 424/93.2, 405; 435/69.1, 70.3, 91.1, 91.21, 91.3, 91.31, 91.32, 235.1, 320.1; 536/23.1, 23.7, 24.1, 24.5 [IMAGE AVAILABLE]

69. 5,580,761, Dec. 3, 1996, Method of conferring resistance to immunodeficiency viral infection; Wilson Greatbatch, et al., 435/91.32, 91.1, 91.3, 172.3, 320.1, 351, 372, 372.3; 536/23.1 [IMAGE AVAILABLE]

70. 5,580,558, Dec. 3, 1996, Delivery of gene products via mesangial cells; Masanori Kitamura, 424/93.21, 93.1, 93.2; 435/69.1, 69.7, 71.1, 172.3, 353; 935/34, 62, 70, 71 [IMAGE AVAILABLE]

71. 5,552,309, Sep. 3, 1996, Use of polyols for improving the introduction of genetic material into cells; Keith L. March, 435/172.3; 424/93.1, 93.2, 426; 435/235.1, 320.1; 514/44; 935/57 [IMAGE AVAILABLE]

72. 5,550,019, Aug. 27, 1996, Methods of identifying compounds which

alter apoptosis; John C. Reed, 435/6, 7.21 [IMAGE AVAILABLE]

73. 5,547,932, Aug. 20, 1996, Composition for introducing nucleic acid complexes into higher eucaryotic cells; David T. Curiel, et al., 435/85; 424/93.1, 93.2, 93.6, 520; 435/6, 69.1, 91.4, 91.41, 172.3, 252.3, 267; 536/23.5, 24.5; 935/32, 57, 71, 93 [IMAGE AVAILABLE]

74. 5,539,094, Jul. 23, 1996, DNA encoding Bcl-2-associated proteins; John C. Reed, et al., 536/23.5; 435/69.1, 91.1, 320.1; 530/350 [IMAGE AVAILABLE]

75. 5,521,291, May 28, 1996, Conjugates for introducing nucleic acid into higher eucaryotic cells; David T. Curiel, et al., 530/391.7; 424/93.1, 147.1, 159.1, 178.1; 530/388.3; 536/23.1 [IMAGE AVAILABLE]

76. 5,478,745, Dec. 26, 1995, Recombinant viral **vector** system; Richard J. Samulski, et al., 435/320.1, 69.1, 172.3; 536/23.1, 24.1 [IMAGE AVAILABLE]

77. 5,470,730, Nov. 28, 1995, Method for producing T.sub.H -independent cytotoxic T lymphocytes; Phillip D. Greenberg, et al., 435/172.3; 424/93.21; 435/69.1, 69.52, 70.4, 252.3, 320.1 [IMAGE AVAILABLE]

78. 5,436,146, Jul. 25, 1995, Helper-free stocks of recombinant **adeno-associated virus vectors**; Thomas E. Shenk, et al., 435/172.3, 91.4, 235.1, 320.1, 367; 536/23.72 [IMAGE AVAILABLE]

79. 5,354,678, Oct. 11, 1994, Production of recombinant **adeno-associated virus vectors**; Jane S. Lebkowski, et al., 435/172.3, 235.1, 320.1, 366, 367, 369, 372; 935/32, 70, 71 [IMAGE AVAILABLE]

80. 5,252,479, Oct. 12, 1993, Safe **vector** for gene therapy; Arun Srivastava, 435/235.1, 320.1, 372 [IMAGE AVAILABLE]

81. 5,192,553, Mar. 9, 1993, Isolation and preservation of fetal and neonatal hematopoietic stem and progenitor cells of the blood and methods of therapeutic use; Edward A. Boyse, et al., 424/529; 435/2, 172.1, 172.3, 374, 378 [IMAGE AVAILABLE]

82. 5,139,941, Aug. 18, 1992, AAV transduction **vectors**; Nicholas Muzyczka, et al., 435/172.3, 320.1; 935/32, 57 [IMAGE AVAILABLE]

83. 5,004,681, Apr. 2, 1991, Preservation of fetal and neonatal hematopoietic stem and progenitor cells of the blood; Edward A. Boyse, et al., 435/2; 424/529 [IMAGE AVAILABLE]

84. 4,797,368, Jan. 10, 1989, **Adeno-associated virus** as eukaryotic expression **vector**; Barrie J. Carter, et al., 435/320.1, 91.41, 91.42, 172.3, 317.1; 935/22, 34, 57 [IMAGE AVAILABLE]

=> d 5,fro,clms

US PAT NO:	5,750,396 [IMAGE AVAILABLE]	L2: 5 of 84
DATE ISSUED:	May 12, 1998	
TITLE:	Stable virus packaging cell lines	
INVENTOR:	Yanping Yang, Memphis, TN Elio F. Vanin, Memphis, TN Gerard C. Grosveld, Memphis, TN Arthur W. Nienhuis, Memphis, TN	
ASSIGNEE:	St. Jude's Children's Research Hospital, Memphis, TN (U.S. corp.) Genetic Therapy, Inc., Gaithersburg, MD (U.S. corp.)	

APPL-NO: 08/437,188
DATE FILED: May 8, 1995
INT-CL: [6] C12N 5/10; C12N 5/08
US-CL-ISSUED: 435/357, 366, 320.1; 536/23.72, 24.1
US-CL-CURRENT: 435/357, 320.1, 366; 536/23.72, 24.1
SEARCH-FLD: 435/69.1, 172.1, 172.3, 240.2, 320.1, 325, 371, 353, 354,
357, 363, 366; 536/23.1, 23.72, 24.1
REF-CITED:

FOREIGN PATENT DOCUMENTS

0440219	8/1991	European Patent Office
WO 92/14829	9/1992	World Intellectual Property Organization
WO 94/29442	12/1994	World Intellectual Property Organization
WO 94/29440	12/1994	World Intellectual Property Organization

OTHER PUBLICATIONS

Gossen, M. et al., "Tight control of gene expression in mammalian cells by tetracycline-responsive promoters," Proc. Natl. Acad. Sci. USA 89: 5547-5551 Jun. (1992).
Yang, Y. et al., "Vesicular Stomatitis Virus (VSV) Pseudotyped Murine Retrovirus Mediates Gene Transfer Into Human Hematopoietic Cells " Blood 84(10); Suppl. I:358a Dec. (1994) Abstract No. 1417.
Yee, J. et al., "A general method for the generation of high-titer, pantropic retroviral vectors: Highly efficient infection of primary hepatocytes," Proc. Natl. Acad. Sci. USA 91:9564-9568 Sep. (1994).
ART-UNIT: 185
PRIM-EXMR: David Guzo
LEGAL-REP: Sterne, Kessler, Goldstein & Fox P.L.L.C.

ABSTRACT:

The field of the invention is recombinant **packaging** and producer cell lines for producing infectious **retroviral vectors**. The invention more specifically relates to the generation of pseudotyped **retroviral vectors** with a broad host range which can be produced at high titers in specially constructed **packaging** cell lines. Most specifically, the invention relates to the generation of pseudotyped **retroviral vectors** having vesicular stomatitis virus-G protein (VSV-G) as the membrane-associated viral envelope protein.

27 Claims, 12 Drawing Figures

US PAT NO: 5,750,396 [IMAGE AVAILABLE] L2: 5 of 84

CLAIMS:

CLMS(1)

What is claimed is:

1. A **retrovirus packaging** cell containing:
 - (a) a first nucleic acid sequence, said sequence comprising a toxic viral envelope protein coding sequence operably linked to a minimal promoter, said minimal promoter being operably linked to at least one copy of the tetracycline operator, said sequence also comprising a sequence that stops transcriptional readthrough of the gene encoding said toxic viral envelope protein;
 - (b) a second nucleic acid sequence, said sequence comprising a sequence encoding a chimeric protein, said chimeric protein comprising a tetracycline-modulated repressor and a transactivator protein, said chimeric protein coding sequence being operably linked to a promoter; and
 - (c) a third nucleic acid sequence, said sequence comprising a sequence encoding **retrovirus** nucleocapsid protein.

CLMS(2)

2. The cell of claim 1, wherein said minimal promoter is the cytomegalovirus 1A minimal promoter.

CLMS(3)

3. The cell of claim 1, wherein said toxic viral envelope protein is the VSV-G protein.

CLMS(4)

4. The cell of claim 1, wherein said transactivator protein is the C-terminal activating region of the VP16 protein of HSV.

CLMS(5)

5. The cell of claim 1, wherein said minimal promoter is the cytomegalovirus 1A minimal promoter, said toxic viral envelope protein is the VSV-G protein, and said transactivator is the C-terminal activating region of the VP16 protein of HSV.

CLMS(6)

6. The cell of claim 5, designated GP-7C-tetVP16-G, deposited as ATCC CRL-11874.

CLMS(7)

7. A **retrovirus** producer cell containing:

- (a) a first nucleic acid sequence, said sequence comprising a toxic viral envelope protein coding sequence operably linked to a minimal promoter, said minimal promoter being operably linked to at least one copy of the tetracycline operator, said sequence also comprising a sequence that stops transcriptional readthrough of the gene encoding said toxic viral envelope protein;
- (b) a second nucleic acid sequence, said sequence comprising a sequence encoding a chimeric protein, said chimeric protein comprising a tetracycline-modulated repressor and a transactivator protein, said chimeric protein coding sequence being operably linked to a promoter;
- (c) a third nucleic acid sequence, said sequence comprising a sequence encoding **retrovirus** nucleocapsid protein; and
- (d) a fourth nucleic acid sequence, said sequence comprising a **retroviral** sequence capable of being encapsidated in said nucleocapsid protein.

CLMS(8)

8. The cell of claim 7, wherein said minimal promoter is the cytomegalovirus 1A minimal promoter.

CLMS(9)

9. The cell of claim 7, wherein said toxic viral envelope protein is the VSV-G protein.

CLMS(10)

10. The cell of claim 7, wherein said transactivator is the C-terminal activating region of the VP16 protein of HSV.

CLMS(11)

11. The cell of claim 7, wherein said minimal promoter is the

cytomegalovirus 1A minimal promoter, said toxic envelope protein is the VSV-G protein, and said transactivator is the C-terminal activating region of the VP16 protein of HSV.

CLMS (12)

12. The cell of claim 7, wherein said **retroviral** sequence contains at least one heterologous gene that is capable of being expressed in a target cell.

CLMS (13)

13. The cell of claim 7, wherein said **retrovirus** is selected from the group consisting of Moloney murine leukemia virus and Harvey murine sarcoma virus.

CLMS (14)

14. A method for producing infectious **retrovirus** comprising incubating the cell of claim 7 in culture medium lacking tetracycline so that infectious **retrovirus** is produced from said cell.

CLMS (15)

15. A method for producing a **retrovirus** gene delivery vehicle comprising incubating the cell of claim 12 in cell culture medium lacking tetracycline so that **retrovirus** gene delivery vehicles are produced in said cell.

CLMS (16)

16. A **retrovirus** producer cell containing:

- (a) a first nucleic acid sequence, said sequence comprising a toxic viral protein coding sequence operably linked to a minimal promoter, said minimal promoter being operably linked to at least one copy of the tetracycline operator, said sequence also comprising a sequence that stops transcriptional readthrough of the gene encoding said toxic viral envelope protein;
- (b) a second nucleic acid sequence, said sequence comprising a sequence encoding a chimeric protein, said chimeric protein comprising a tetracycline-modulated repressor and a transactivator protein, said chimeric protein coding sequence being operably linked to a promoter; and
- (c) a third nucleic acid sequence, said sequence comprising a viral sequence sufficient to produce infectious virus in said cell, wherein production of said virus depends upon the expression of said toxic viral protein.

CLMS (17)

17. A nucleic acid sequence comprising the VSV-G coding sequence operably linked to a minimal promoter, said minimal promoter being operably linked to at least one copy of the tetracycline operator, said sequence also comprising a sequence that stops transcriptional readthrough of the gene encoding said toxic viral envelope protein.

CLMS (18)

18. The nucleic acid of claim 17, wherein said minimal promoter is the cytomegalovirus-1A minimal promoter.

CLMS (19)

19. A combination of nucleic acids comprising:

- (a) a sequence encoding a toxic viral envelope protein, said sequence

being operably linked to a minimal promoter, said minimal promoter being operably linked to at least one copy of the tetracycline operator, said sequence also comprising a sequence that stops transcriptional readthrough of the gene encoding said toxic viral envelope protein;

(b) a sequence encoding a chimeric protein, said chimeric protein comprising a tetracycline-modulated repressor and a transactivator protein, said chimeric protein coding sequence being operably linked to a promoter; and

(c) a nucleic acid sequence encoding **retrovirus** nucleocapsid proteins.

CLMS (20)

20. The combination of claim 19, wherein said minimal promoter is a cytomegalovirus 1A minimal promoter.

CLMS (21)

21. The combination of claim 19, wherein said toxic viral envelope protein is the VSV-G protein.

CLMS (22)

22. The combination of claim 19, wherein said transactivator protein is the C-terminal activating region of the VP16 protein of HSV.

CLMS (23)

23. The combination of claim 19, wherein said minimal promoter is the cytomegalovirus 1A minimal promoter, said toxic envelope protein is the VSV-G protein, and said transactivator protein is the C-terminal activating region of the VP16 protein of HSV.

CLMS (24)

24. A combination of nucleic acids comprising:

(a) A sequence encoding VSV-G, said sequence being operably linked to a minimal promoter, said minimal promoter being operably linked to at least one copy of the tetracycline operator, said sequence also comprising a sequence that stops transcriptional readthrough of the gene encoding said toxic viral envelope protein; and

(b) a sequence encoding a chimeric protein, said protein comprising the tetracycline-modulated repressor and a transactivator protein, wherein said chimeric protein coding sequence is operably linked to a promoter.

CLMS (25)

25. The combination of claim 24, wherein said minimal promoter is the cytomegalovirus 1A minimal promoter.

CLMS (26)

26. The combination of claim 24, wherein said transactivator protein is the C-terminal activating region of the VP16 protein of HSV.

CLMS (27)

27. The combination of claim 24, wherein said minimal promoter is the cytomegalovirus 1A minimal promoter and said transactivator protein is the C-terminal activating region of the VP16 protein of HSV.

=> s 11 and ITR? and LTR?

850 ITR?

1759 LTR?
L3 14 L1 AND ? AND LTR?

=> s 13 and integra?

667628 INTEGRA?
L4 13 L3 AND INTEGRA?

=> d 14,1-13,cit,ab

1. 5,756,684, May 26, 1998, Cloning and expression of PUR protein;
Edward M. Johnson, et al., 530/388.21; 435/69.1, 69.7, 172.1 [IMAGE
AVAILABLE]

US PAT NO: 5,756,684 [IMAGE AVAILABLE] L4: 1 of 13

ABSTRACT:

The present invention relates to the PUR protein, nucleotide sequences and expression **vectors** encoding PUR, and to methods for inhibiting PUR activity. Inhibitors of PUR activity may be used to treat hyperproliferative diseases such as cancer.

2. 5,741,706, Apr. 21, 1998, Anti-HIV ribozymes; Markley C. Leavitt, et al., 435/372, 6, 91.31, 172.3, 320.1, 325, 366; 536/23.1, 23.2, 24.5 [IMAGE AVAILABLE]

US PAT NO: 5,741,706 [IMAGE AVAILABLE] L4: 2 of 13

ABSTRACT:

GUC and GUA ribozymes which cleave HIV RNA are provided. The ribozymes cleave HIV RNA in vitro and in vivo. When the ribozymes are expressed in cells, they inhibit HIV replication in the cells.

3. 5,731,182, Mar. 24, 1998, Non-mammalian DNA virus to express an exogenous gene in a mammalian cell; Frederick M. Boyce, 435/183, 69.1, 70.1, 320.1 [IMAGE AVAILABLE]

US PAT NO: 5,731,182 [IMAGE AVAILABLE] L4: 3 of 13

ABSTRACT:

Disclosed is a method of expressing an exogenous gene in a mammalian cell, involving infecting the cell with a non-mammalian virus (e.g., a baculovirus) whose genome carries an exogenous gene, and growing the cell under conditions such that the gene is expressed. Also disclosed is a method of treating a gene deficiency disorder in a mammal by providing to a cell a therapeutically effective amount of a virus whose genome carries an exogenous gene and growing the cell under conditions such that the exogenous gene is expressed in the mammal.

4. 5,681,706, Oct. 28, 1997, Mammalian anoxia-responsive regulatory element; Garth R. Anderson, et al., 435/6, 69.1, 91.1, 172.3, 320.1, 353, 375; 536/24.1 [IMAGE AVAILABLE]

US PAT NO: 5,681,706 [IMAGE AVAILABLE] L4: 4 of 13

ABSTRACT:

Genetic regulatory elements which effect anoxic induction of a DNA molecule in mammalian cells exposed to anoxia are identified. The genetic regulatory elements, designated mammalian anoxia-responsive elements, when operably linked to a DNA molecule and basal promoter regulate the transcription of the DNA molecule in response to anoxia. The invention relates to recombinant **vectors** useful for introduction into mammalian cells, and the selective expression in mammalian cells exposed to anoxic conditions. Also provided are methods of using such **vectors**.

5. 5,672,479, Sep. 30, 1997, Methods for identifying compounds that bind to PUR protein; Edward M. Johnson, et al., 435/7.1, 7.25, 7.71, 7.93; 530/300, 358; 935/39, 41 [IMAGE AVAILABLE]

US PAT NO: 5,672,479 [IMAGE AVAILABLE]

L4: 5 of 13

ABSTRACT:

The present invention relates to the PUR protein, nucleotide sequences and expression **vectors** encoding PUR, and to methods for inhibiting PUR activity. Inhibitors of PUR activity may be used to treat hyperproliferative diseases such as cancer.

6. 5,658,776, Aug. 19, 1997, Generation of high titers of recombinant AAV **vectors**; Terence R. Flotte, et al., 435/172.3, 91.4, 320.1, 352, 363, 366, 367, 369, 371 [IMAGE AVAILABLE]

US PAT NO: 5,658,776 [IMAGE AVAILABLE]

L4: 6 of 13

ABSTRACT:

Adeno-associated virus (AAV) vectors may have utility for gene therapy but heretofore a significant obstacle has been the inability to generate sufficient quantities of such recombinant **vectors** in amounts that would be clinically useful for human gene therapy application. Stable, helper-free AAV packaging cell lines have been elusive, mainly due to the activities of Rep protein, which down-regulates its own expression and reverses cellular immortalization. This invention provides packaging systems and processes for packaging AAV **vectors** that efficiently circumvent these problems by replacing the AAV p5 promoter with a heterologous promoter and that allow for substantially increased packaging efficiency.

7. 5,652,224, Jul. 29, 1997, Methods and compositions for gene therapy for the treatment of defects in lipoprotein metabolism; James M. Wilson, et al., 514/44; 424/93.21; 435/172.3, 320.1, 325, 354, 366, 369, 370 [IMAGE AVAILABLE]

US PAT NO: 5,652,224 [IMAGE AVAILABLE]

L4: 7 of 13

ABSTRACT:

The invention provides a recombinant viral **vector** comprising the DNA of, or corresponding to, at least a portion of the genome of an adenovirus, which portion is capable of infecting a hepatic cell; and a human VLDL receptor gene operatively linked to regulatory sequences directing its expression. The **vector** is capable of expressing the normal VLDL receptor gene product in hepatic cells in vivo or in vitro. This viral **vector** is useful in the treatment of metabolic disorders caused by the accumulation of LDL in plasma, such as familial hypercholesterolemia or familial combined hyperlipidemia.

8. 5,650,309, Jul. 22, 1997, Viral **vectors**; Flossie Wong-Staal, et al., 435/172.3, 320.1, 325, 366, 372, 372.3; 536/23.1, 24.1, 24.5 [IMAGE AVAILABLE]

US PAT NO: 5,650,309 [IMAGE AVAILABLE]

L4: 8 of 13

ABSTRACT:

Vectors are provided which stably transduce cells, rendering the cells resistant to a target virus. The **vectors** are amplified upon infection of the cell by a target virus, and spread throughout an infected host in response to infection by the target virus.

9. 5,646,034, Jul. 8, 1997, Increasing rAAV titer; Michael Mamounas, et al., 435/325, 91.4, 172.3, 320.1 [IMAGE AVAILABLE]

ABSTRACT:

Methods, kits and compositions for increasing the titer of rAAV **vectors** are provided.

10. 5,604,090, Feb. 18, 1997, Method for increasing transduction of cells by **adeno-associated virus vectors**; Ian E. Alexander, et al., 435/5; 424/93.2; 435/172.3 [IMAGE AVAILABLE]

US PAT NO: 5,604,090 [IMAGE AVAILABLE]

L4: 10 of 13

ABSTRACT:

The invention includes methods for increasing the efficiency of transduction of cells, including non-dividing cells, by recombinant AAV **vectors**. The methods utilize agents that alter certain aspects of DNA metabolism, more specifically, that affect DNA synthesis and/or affect repair, that impact on maintenance of chromosomal integrity, and/or that cause damage to the cellular DNA. Agents and **vectors** can now also be preselected and screened for transducing ability and/or transducing agents for their effect on DNA metabolism. These agents include tritiated nucleotides such as thymidine, gamma irradiation, UV irradiation, cis-platinum, etoposide, hydroxyurea and aphidicolin.

11. 5,580,761, Dec. 3, 1996, Method of conferring resistance to immunodeficiency viral infection; Wilson Greatbatch, et al., 435/91.32, 91.1, 91.3, 172.3, 320.1, 351, 372, 372.3; 536/23.1 [IMAGE AVAILABLE]

US PAT NO: 5,580,761 [IMAGE AVAILABLE]

L4: 11 of 13

ABSTRACT:

In accordance with the present invention, disclosed is a method of conferring, upon a host cell, resistance to **retroviral** infection by interfering with one or more of the infection processes including **retroviral** replication and assembly into infective viral particles. The method involves introducing a **vector** into a host cell, wherein the **vector** comprises a polynucleotide which directs transcription, within the host cell, of RNA which is a) complementary or corresponding, depending on the target region, to a nucleic acid sequence within one or more regions of the genome of the **retrovirus**; and b) is effective in inhibiting one or more steps in the **retroviral** infection process by interfering with **retroviral** replication, reverse transcription, translation, or assembly into viral particles when the host cell is infected. Also disclosed is a method of treatment using the nucleic acid constructs, or cells upon which resistance to infection has been conferred.

12. 5,478,745, Dec. 26, 1995, Recombinant viral **vector** system; Richard J. Samulski, et al., 435/320.1, 69.1, 172.3; 536/23.1, 24.1 [IMAGE AVAILABLE]

US PAT NO: 5,478,745 [IMAGE AVAILABLE]

L4: 12 of 13

ABSTRACT:

The present invention relates to a system for replication and encapsidation of recombinant DNA fragments into virus particles comprised of adenovirus associated viral (AAV) capsid proteins. The invention provides a means of obtaining recombinant viral stocks that may be used to treat patients suffering from genetic diseases.

13. 5,474,935, Dec. 12, 1995, **Adeno-associated virus (AAV)-based eucaryotic vectors**; Saswati Chatterjee, et al., 435/320.1; 424/93.1, 93.2; 435/172.3; 935/22, 32, 57 [IMAGE AVAILABLE]

US PAT NO: 5,474,935 [IMAGE AVAILABLE]

L4: 13 of 13

ABSTRACT:

The present invention relates to **adeno-associated virus** (AAV)-based eucaryotic **vectors** and uses thereof. Such **vectors** may, for example, be used to down regulate any targeted viral or cellular gene whose sequence is known. Furthermore, the **vectors** may also be used to cause the expression of proteins.

=> d 14,8,9,clms

US PAT NO: 5,650,309 [IMAGE AVAILABLE]

L4: 8 of 13

CLAIMS:

CLMS(1)

What is claimed is:

1. A **vector** comprising biologically active nucleic acid sequences from a first and second virus, wherein said nucleic acid sequences of said first virus comprise cis-active AAV nucleic acids for host cell chromosomal **integration**, said nucleic acid sequences of said second virus comprise a replication defective, rescuable **retroviral** genome, and wherein said nucleic acid sequences of said second virus also encodes an anti-viral agent operably linked to an expression control sequence.

CLMS(2)

2. The **vector** of claim 1, wherein said nucleic acid sequences from said first virus further comprise nucleic acid sequences for nucleic acid replication and encapsidation of the **vector**.

CLMS(3)

3. The **vector** of claim 1, wherein the second virus is an HIV virus.

CLMS(4)

4. The **vector** of claim 1, wherein said cis-active nucleic acid sequences are AAV 5' and 3' **ITR** regions.

CLMS(5)

5. The **vector** of claim 1, wherein the second virus is HIV, and wherein the replication defective, rescuable HIV genome encodes a non-functional gene selected from the tat, rev, gag, pol, env, vif, vpr, nef, and vpu/vpx genes.

CLMS(6)

6. The **vector** of claim 1, wherein the second virus is HIV, and wherein the replication defective, rescuable HIV genome does not encode a gene selected from the tat, rev, gag, pol, env, vif, vpr, nef, and vpu/vpx genes.

CLMS(7)

7. The **vector** of claim 1, wherein said expression control sequence comprises a constitutive promoter.

CLMS(8)

8. The **vector** of claim 1, wherein said expression control sequence comprises an inducible promoter.

CLMS (9)

9. The **vector** of claim 1, wherein said expression control sequence comprises an inducible promoter activated in response to viral replication of a replication competent virus corresponding to the replication defective portion of the **vector**.

CLMS (10)

10. The **vector** of claim 1, wherein the anti-viral agent is selected to specifically inhibit the replication of the second virus.

CLMS (11)

11. The **vector** of claim 1, wherein said second virus encodes an anti-viral agent selected from the group consisting of an antisense nucleic acid, a ribozyme, a decoy nucleic acid, a transdominant gene and a suicide gene.

CLMS (12)

12. The **vector** of claim 1, wherein said second virus encodes an anti viral agent selected from the group consisting of an antisense nucleic acid comprising the HIV TAR or RRE sequence, a decoy nucleic acid molecule comprising the TAR sequence or the RRE sequence, a hammerhead ribozyme, and a hairpin ribozyme.

CLMS (13)

13. The **vector** of claim 1, further comprising a nucleic acid encoding a selectable marker operatively linked to an expression control sequence.

CLMS (14)

14. The **vector** of claim 1, further comprising a second anti-viral agent operatively linked to an expression control sequence.

CLMS (15)

15. A mammalian cell transduced with a **vector** comprising biologically active nucleic acid sequences from a first and second virus, wherein said nucleic acid sequences of said first virus comprise cis-active AAV nucleic acids for host cell chromosomal **integration**, said nucleic acid sequences of said second virus comprise a replication defective, rescuable **retroviral** genome, and wherein said nucleic acid sequences of said second virus also encodes an anti-viral agent operably linked to an expression control sequence.

CLMS (16)

16. The mammalian cell of claim 15 wherein the mammalian cell is a hematopoietic stem cell, fetal cord blood cell, T-lymphocyte or monocyte.

CLMS (17)

17. A method for inhibiting viral replication in a cell in vitro, comprising transducing the cell with a **vector** comprising biologically active nucleic acid sequences from a first and second virus, wherein said nucleic acid sequences of said first virus comprise cis-active AAV nucleic acids for host cell chromosomal **integration**, said nucleic acid sequences of said second virus comprise a replication defective, rescuable **retroviral** genome, and wherein said nucleic acid sequences of said second virus also encodes an anti-viral agent operably linked to

an expression control sequence.

CLMS (18)

18. The method of claim 17, wherein said transduced cell inhibits viral replication by an HIV virus.

CLMS (19)

19. The method of claim 17, wherein the cell includes genes necessary for activating an expression control sequence contained within said **vector**.

CLMS (20)

20. The method of claim 17, wherein the cell is a hematopoietic stem cell, fetal cord blood cell, T-lymphocyte or monocyte.

CLMS (21)

21. A method for making anti-viral agents in a cell in vitro, comprising transducing the cell with a **vector** comprising biologically active nucleic acid sequences from a first and second virus, wherein said nucleic acid sequences of said first virus comprise cis-active nucleic acids encoding viral sequences for host cell chromosomal **integration**, said nucleic acid sequences of said second virus comprise a replication defective, rescuable viral genome, and wherein said nucleic acid sequences of said second virus encode an anti-viral agent operably linked to an expression control sequence, wherein the cell includes genes necessary for activating said expression control sequence, and culturing the cell under conditions for expression of the anti-viral agent.

US PAT NO: 5,646,034 [IMAGE AVAILABLE]

L4: 9 of 13

CLAIMS:

CLMS (1)

What is claimed is:

1. A method for producing high titers of recombinant **adeno-associated virus (AAV) vector** comprising the steps of:
(i) binding a recombinant encapsidatable rAAV nucleic acid and a recombinant AAV helper nucleic acid, wherein the AAV helper nucleic acid comprises sequences necessary for rAAV replication and encapsidation, to an AAV helper virus, thereby producing a bound AAV helper virus;
(ii) contacting a cell with the bound AAV helper virus; and
(iii) culturing the cell under conditions which permit replication and encapsidation of the rAAV nucleic acid, thereby producing an rAAV **vector**.

CLMS (2)

2. The method of claim 1, wherein the AAV helper virus is an adenovirus.

CLMS (3)

3. The method of claim 1, wherein the AAV helper nucleic acid is replication defective.

CLMS (4)

4. The method of claim 1, wherein the AAV helper nucleic acid comprises adenovirus **ITR** sequences and AAV sequences.

CLMS (5)

5. The method of claim 1, wherein the AAV helper nucleic acid is Ad8.

CLMS (6)

6. The method of claim 1, wherein the AAV helper virus is replication defective.

CLMS (7)

7. The method of claim 1, wherein the cell is a human cell.

CLMS (8)

8. The method of claim 1, wherein step (ii) further comprises simultaneously infecting the cell with an adenovirus.

CLMS (9)

9. The method of claim 1, wherein the rAAV nucleic acid comprises AAV **ITR** sequences and heterologous nucleic acid sequences.

CLMS (10)

10. The method of claim 1, wherein the rAAV nucleic acid comprises AAV **ITR** sequences and heterologous anti-HIV nucleic acid sequences.

CLMS (11)

11. The method of claim 1, wherein the rAAV nucleic acid comprises AAV **ITR** sequences and heterologous anti-HIV ribozyme nucleic acid sequences.

CLMS (12)

12. The method of claim 1, wherein the method further includes the step of isolating the recombinant rAAV **vector**.

CLMS (13)

13. The method of claim 1, wherein the bound AAV helper virus of step (i) further comprises a nucleic acid binding molecule.

CLMS (14)

14. The method of claim 1, wherein the bound AAV helper virus of step (i) further comprises poly-1-lysine and transferrin-poly-1-lysine.

CLMS (15)

15. The method of claim 1, wherein the rAAV nucleic acid and the AAV helper nucleic acid are not homologous.

CLMS (16)

16. The method of claim 13, wherein the nucleic acid binding molecule is a polycation.

CLMS (17)

17. The method of claim 13, wherein the nucleic acid binding molecule is poly-1-lysine.

CLMS (18)

18. A method of replicating an rAAV **vector** through receptor mediated endocytosis, comprising:

- (i) binding an rAAV nucleic acid and an AAV helper nucleic acid to a receptor-binding ligand, thereby forming an AAV nucleic acid-receptor binding ligand complex, wherein the receptor-binding ligand, upon binding a cell membrane receptor causes endocytosis of the receptor and the receptor binding ligand;
- (ii) contacting a cell with the rAAV nucleic acid-AAV helper nucleic acid-receptor binding ligand complex; and,
- (iii) incubating the cell under conditions which permit replication and encapsidation of the rAAV nucleic acid, thereby creating an rAAV **vector**.

CLMS (19)

19. The method of claim 18, wherein the receptor binding ligand is an AAV helper virus.

CLMS (20)

20. The method of claim 18, wherein the receptor binding ligand is selected from the group consisting of adenovirus and herpes virus.

CLMS (21)

21. The method of claim 18, wherein the AAV nucleic acid-receptor binding ligand complex further comprises an AAV helper virus.

CLMS (22)

22. The method of claim 18, wherein the cell of step (ii) is infected with an AAV helper virus.

CLMS (23)

23. The method of claim 18, wherein the cell of step (ii) is infected with an AAV helper virus at the same time as it is contacted with the rAAV nucleic acid-AAV helper nucleic acid-receptor binding ligand complex of step (i).

CLMS (24)

24. A method of transducing a cell with a target nucleic acid, comprising:

- (i) binding a recombinant rAAV nucleic acid and a recombinant AAV helper nucleic acid to an AAV helper virus, thereby producing a bound AAV helper virus, wherein the AAV helper nucleic acid comprises sequences necessary for rAAV replication and encapsidation, and the rAAV nucleic acid comprises a target nucleic acid sequence;
- (ii) contacting a cell with the bound helper virus; and
- (iii) culturing the cell under conditions which permit replication and encapsidation of the rAAV nucleic acid, thereby producing an rAAV **vector**;
- (iv) isolating the rAAV **vector**, thereby producing an isolated rAAV **vector**; and
- (v) contacting a cell with the isolated rAAV **vector**, thereby transducing the cell.

CLMS (25)

25. The method of claim 24, wherein the cell is a human cell.

CLMS (26)

26. The method of claim 24, wherein the rAAV helper virus is an adenovirus.

CLMS(27)

27. A composition, comprising an AAV helper virus, nucleic acid binding molecule, rAAV nucleic acid and an AAV helper nucleic acid.

CLMS(28)

28. The composition of claim 27, further comprising transferrin.

CLMS(29)

29. The composition of claim 27, wherein the nucleic acid binding molecule is poly-L-lysine.

CLMS(30)

30. The composition of claim 27, wherein the AAV helper virus is an adenovirus.

ILIGHT set on as ' '

? begin 5,6,55,154,155,156,312,399,biotech,biosci

Set	Items	Description
--- ---		
? e au=liu, dakai		

Ref	Items	Index-term
E1	6	*AU=LIU, DAKAI
E2	6	AU=LIU, DAKUAN
E3	3	AU=LIU, DALI
E4	2	AU=LIU, DALIANG
E5	1	AU=LIU, DALING
E6	3	AU=LIU, DALU
E7	1	AU=LIU, DAMEI
E8	5	AU=LIU, DAMENG
E9	8	AU=LIU, DAMIN
E10	39	AU=LIU, DAMING
E11	71	AU=LIU, DAN
E12	1	AU=LIU, DAN XIA

Enter P or PAGE for more

? s e1

>>>One or more prefixes are unsupported

>>> or undefined in one or more files.

S1 6 AU="LIU, DAKAI"

? d s1/3/1-6

Display 1/3/1 (Item 1 from file: 399)
 DIALOG(R)File 399:CA SEARCH(R)
 (c) 1998 American Chemical Society. All rts. reserv.

127322794 CA: 127(23)322794k PATENT
 Property-affecting and/or property-exhibiting compositions for
 therapeutic and diagnostic uses
 INVENTOR(AUTHOR): Rabbani, Elazar; Stavrianopoulos, Jannis G.; Donegan,
 James J.; Liu, Dakai; Kelker, Norman E.; Engelhardt, Dean L.
 LOCATION: USA
 ASSIGNEE: Enzo Therapeutics, Inc.
 PATENT: Canada Pat Appl ; CA 2190304 AA DATE: 19970616
 APPLICATION: CA 2190304 (19961114) *US 574443 (19951215)
 PAGES: 275 pp. CODEN: CPXXEB LANGUAGE: English CLASS: C07H-021/00A;
 A61K-047/48B; A61K-031/70B; A61K-038/55B

- end of record -

?

Display 1/3/2 (Item 2 from file: 399)
 DIALOG(R)File 399:CA SEARCH(R)
 (c) 1998 American Chemical Society. All rts. reserv.

126312833 CA: 126(24)312833n JOURNAL
 Stable human immunodeficiency virus type 1 (HIV-1) resistance in
 transformed CD4+ monocytic cells treated with multitargeting HIV-1
 antisense sequences incorporated into U1 snRNA
 AUTHOR(S): Liu, Dakai; Donegan, James; Nuovo, Gerard; Mitra, Debashis;
 Laurence, Jeffrey
 LOCATION: Enzo Biochem, Inc., Farmingdale, NY, 11735, USA
 JOURNAL: J. Virol. DATE: 1997 VOLUME: 71 NUMBER: 5 PAGES: 4079-4085

- end of record -

?

Display 1/3/3 (Item 3 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

123248471 CA: 123(19)248471b JOURNAL
An upstream control region required for inducible transcription of the
mouse H1.degree. histone gene during terminal differentiation
AUTHOR(S): Dong, Yonghe; Liu, Dakai; Skoultchi, Arthur I.
LOCATION: Dep. Cell Biol., Albert Einstein Coll. Med., Bronx, NY, 10461,
USA
JOURNAL: Mol. Cell. Biol. DATE: 1995 VOLUME: 15 NUMBER: 4 PAGES:
1889-900 CODEN: MCEBD4 ISSN: 0270-7306 LANGUAGE: English

- end of record -

?

Display 1/3/4 (Item 4 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

123247944 CA: 123(19)247944w DISSERTATION
Cloning, characterization and regulation of mouse H1 histone genes
AUTHOR(S): Liu, Dakai
LOCATION: Yeshiva Univ., New York, NY, USA
DATE: 1995 PAGES: 278 pp. CODEN: DABBBB LANGUAGE: English CITATION:
Diss. Abstr. Int., B 1995, 56(3), 1200 AVAIL: Univ. Microfilms Int., Order
No.: DA9525131

- end of record -

?

Display 1/3/5 (Item 1 from file: 76)
DIALOG(R)File 76:Life Sciences Collection
(c) 1998 Cambridge Sci Abs. All rts. reserv.

01905252 3717173
An upstream control region required for inducible transcription of the
mouse H1 degree histone gene during terminal differentiation
Dong, Yonghe; **Liu, Dakai**; Skoultchi, A.I.
Dep. Cell Biol., Albert Einstein Coll. Med., 1300 Morris Park Ave., Bronx,
NY 10461, USA
MOL. CELL. BIOL. vol. 15, no. 4, pp. 1889-1900 (1995)
ISSN: 0270-7306
DOCUMENT TYPE: Journal article LANGUAGE: ENGLISH
SUBFILE: Genetics Abstracts

- end of record -

?

Display 1/3/6 (Item 1 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0707170 H.W. WILSON RECORD NUMBER: BBAI97028717
Stable human immunodeficiency virus type 1 (HIV-1) resistance in
transformed CD4+ monocytic cells treated with multitargeting HIV-1
antisense sequences incorporated into U1 snRNA
Liu, Dakai
Donegan, James; Nuovo, Gerard

- end of display -

?

>>>Page beyond end of display invalid
? e au=liu dakai

Ref	Items	Index-term
E1	0	*AU=LIU DAKAI
E2	1	AU=LIU DAKUAN
E3	1	AU=LIU DAMENG
E4	1	AU=LIU DAMIN
E5	4	AU=LIU DAMING
E6	9	AU=LIU DAN
E7	3	AU=LIU DAN CHU
E8	2	AU=LIU DAN-CHU
E9	1	AU=LIU DANCHU
E10	1	AU=LIU DANGRONG R
E11	1	AU=LIU DANMEI
E12	2	AU=LIU DANQING

Enter P or PAGE for more

? e au=liu, d

Ref	Items	Index-term
E1	13	*AU=LIU, D
E2	1	AU=LIU, D D
E3	2	AU=LIU, D H W
E4	6	AU=LIU, D J
E5	2	AU=LIU, D K
E6	1	AU=LIU, D L S
E7	2	AU=LIU, D P
E8	4	AU=LIU, D S H
E9	1	AU=LIU, D T
E10	947	AU=LIU, D.
E11	1	AU=LIU, D. -J.
E12	1	AU=LIU, D. -W.

Enter P or PAGE for more

? s e1

>>>One or more prefixes are unsupported
>>> or undefined in one or more files.
S2 13 AU="LIU, D"
? d s2/3/1-13

Display 2/3/1 (Item 1 from file: 10)
DIALOG(R)File 10:AGRICOLA
(c) format only 1998 The Dialog Corporation. All rts. reserv.

949364 779054384
Polychlorinated biphenyls (PCBs) in sewage sludges
Liu, D; Chawla, V K
In Trace Substances in Environmental Health; Proceedings of University of
Missouri's Annual Conference 1976 10th: 247-250.
LC: RA422.C65
Language: English

- end of record -

?

Display 2/3/2 (Item 2 from file: 10)
DIALOG(R)File 10:AGRICOLA
(c) format only 1998 The Dialog Corporation. All rts. reserv.

822195 769065209

Chlorinated hydrocarbon pesticides in chemical sewage sludges
Liu, D; Chawla, V K; Chau, A S Y
In Trace Substances in Environmental Health; Proceedings of University of
Missouri's Annual Conference 1975 9th: 189-196.
LC: RA422.C65
Language: English

- end of record -

?

Display 2/3/3 (Item 3 from file: 10)
DIALOG(R)File 10:AGRICOLA
(c) format only 1998 The Dialog Corporation. All rts. reserv.

333574 729115882

Rapid biodegradation of NTA [nitrilotriacetic acid] by a novel bacterial
mutant

Wong, P T S; **Liu, D**; Dutka, B J
Water Res Dec 1972 6 (12): 1577-1584.
LC: TD420.W3
Language: English

- end of record -

?

Display 2/3/4 (Item 1 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0824549 H.W. WILSON RECORD NUMBER: BBAI95050081
Effects of Mg²⁺, Co²⁺, and Hg²⁺ on the nucleus and nucleolus in root tip
cells of Allium cepa
Liu, D
Zhai, L; Jiang, W
Bulletin of Environmental Contamination and Toxicology v. 55 (Nov. '95) p.
779-87
DOCUMENT TYPE: Feature Article ISSN: 0007-4861

- end of record -

?

Display 2/3/5 (Item 2 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0522792 H.W. WILSON RECORD NUMBER: BBAI95017633
Identification of potato scab inducing and suppressive species of
Streptomyces
Lorang, J. M
Liu, D; Anderson, N. A
Phytopathology v. 85 (Mar. '95) p. 261-8
DOCUMENT TYPE: Feature Article ISSN: 0031-949X

- end of record -

?

Display 2/3/6 (Item 3 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0502775 H.W. WILSON RECORD NUMBER: BBAI94053343
Simple technique for determination of biofilm accumulatio

Liu, D

Lau, Y. L; Chau, Y. K

Bulletin of Environmental Contamination and Toxicology v. 53 (Dec. '94) p.
913-18

DOCUMENT TYPE: Feature Article ISSN: 0007-4861

- end of record -

?

Display 2/3/7 (Item 4 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0376086 H.W. WILSON RECORD NUMBER: BBAI92023752
Effect of nifedipine on alkaloid accumulation in Catharanthus roseus cell
cultures

Merillon, J. M

Liu, D; Laurent, Y

Phytochemistry v. 31 no5 ('92) p. 1609-12

DOCUMENT TYPE: Feature Article ISSN: 0031-9422

- end of record -

?

Display 2/3/8 (Item 5 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0101874 H.W. WILSON RECORD NUMBER: BBAI86000934
Biochemical responses of bacteria after short exposure to alkyltins

Liu, D

Thomson, K

Bulletin of Environmental Contamination and Toxicology v. 36 (Jan. '86) p.
60-6

DOCUMENT TYPE: Feature Article ISSN: 0007-4861

- end of record -

?

Display 2/3/9 (Item 6 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0080706 H.W. WILSON RECORD NUMBER: BBAI85019238
Effect of bacterial cultures on microbial toxicity assessment

Liu, D

Bulletin of Environmental Contamination and Toxicology v. 34 (Mar. '85) p.
331-9

DOCUMENT TYPE: Feature Article ISSN: 0007-4861

- end of record -

?

Display 2/3/10 (Item 7 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0030536 H.W. WILSON RECORD NUMBER: BBAI84015426
Fulvic-acid-enhanced biodegradation of aquatic contaminants

Liu, D

Carey, J; Thomson, K

Bulletin of Environmental Contamination and Toxicology v. 31 (Aug. '83) p.
203-7

- end of record -

?

Display 2/3/11 (Item 8 from file: 143)
DIALOG(R)File 143:Biol. & Agric. Index
(c) 1998 The HW Wilson Co. All rts. reserv.

0026257 H.W. WILSON RECORD NUMBER: BBAI84011133
Toxicity assessment of chlorobenzenes using bacteria

Liu, D

Thomson, K

Bulletin of Environmental Contamination and Toxicology v. 31 (July '83) p.
105-11

DOCUMENT TYPE: Feature Article ISSN: 0007-4861

- end of record -

?

Display 2/3/12 (Item 1 from file: 315)
DIALOG(R)File 315:ChemEng & Biotec Abs
(c)1998 RoySocChm,DECHEMA,FizChemie. All rts. reserv.

135301 CEABA Accession No.: 15-10-003515 DOCUMENT TYPE: Journal
Title: Preparation of immobilized lactoperoxidase by radiocrosslinking.
AUTHOR: Ma, S.; Shi, X.; **Liu, D**; Tian, M.
CORPORATE SOURCE: Beijing Univ. Dep. Chem. Beijing China
JOURNAL: Beijing Shifan Daxue Xuebao, Ziran Kexueban, Issue: 4, Page(s):
45-48

CODEN: BSDKDH

CITATION: Chem. Abstr. 101(03) No. 019747

PUBLICATION DATE: 1983 (830000) LANGUAGE: Chinese

- end of record -

?

Display 2/3/13 (Item 1 from file: 358)
DIALOG(R)File 358:Current BioTech Abs
Royal Soc Chem & DECHEMA . All rts. reserv.

007860 CBA Acc. No.: 02-10-003515 DOC. TYPE: Journal
Preparation of immobilized lactoperoxidase by radiocrosslinking.
AUTHOR: Ma, S.; Shi, X.; **Liu, D**; Tian, M.
CORPORATE SOURCE: Beijing Univ., Dep. Chem., Beijing, China
JOURNAL: Beijing Shifan Daxue Xuebao, Ziran Kexueban Issue: 4 Page(s):
45-48

CODEN: BSDKDH

CITATION: Chem. Abstr. 101(03) No. 019747

PUBLICATION DATE: 1983 (830000) LANGUAGE: Chinese

- end of display -

?

>>>Page beyond end of display invalid
? s el0

>>>One or more prefixes are unsupported
>>> or undefined in one or more files.
S3 947 AU="LIU, D."
? e au=rabbani, elazar

Ref Items Index-term
E1 16 *AU=RABBANI, ELAZAR

E2 2 AU=RABBANI, ELAZAR S.
 E3 8 AU=RABBANI, F.
 E4 2 AU=RABBANI, FARHANG
 E5 1 AU=RABBANI, G.
 E6 1 AU=RABBANI, G. H
 E7 11 AU=RABBANI, G. H.
 E8 1 AU=RABBANI, G. M.
 E9 12 AU=RABBANI, G.H.
 E10 1 AU=RABBANI, GHYLAM S. M.
 E11 3 AU=RABBANI, GOLAM H.
 E12 16 AU=RABBANI, H.

Enter P or PAGE for more

? s e1

>>>One or more prefixes are unsupported

>>> or undefined in one or more files.

S4 16 AU="RABBANI, ELAZAR"

? d s4/3/1-16

Display 4/3/1 (Item 1 from file: 312)

DIALOG(R)File 312:CA SEARCH(R)

(c) 1997 American Chemical Society. All rts. reserv.

108201342 CA: 108(23)201342k PATENT
 Analyte detection by means of fluorescent energy transfer
 INVENTOR(AUTHOR): Stavrianopoulos, Jannis; Rabbani, Elazar; Abrams,
 Samuel B.; Wetmur, James Gerard
 LOCATION: USA
 ASSIGNEE: Enzo Biochem, Inc.
 PATENT: European Pat. Appl. ; EP 242527 A2 DATE: 871028
 APPLICATION: EP 87102315 (870218) *US 831250 (860219)
 PAGES: 66 pp. CODEN: EPXXDW LANGUAGE: English CLASS: G01N-021/64A
 DESIGNATED COUNTRIES: CH; DE; FR; GB; GR; IT; LI; SE

- end of record -

?

Display 4/3/2 (Item 2 from file: 312)

DIALOG(R)File 312:CA SEARCH(R)

(c) 1997 American Chemical Society. All rts. reserv.

108183293 CA: 108(21)183293p PATENT
 Method for labeling polynucleotide sequences as hybridization probes
 INVENTOR(AUTHOR): Stavrianopoulos, Jannis; Rabbani, Elazar
 LOCATION: USA
 ASSIGNEE: Enzo Biochem, Inc.
 PATENT: European Pat. Appl. ; EP 212546 A2 DATE: 870304
 APPLICATION: EP 86111137 (860812) *US 765288 (850813)
 PAGES: 23 pp. CODEN: EPXXDW LANGUAGE: English CLASS: C07H-021/00A;
 C12Q-001/68 DESIGNATED COUNTRIES: AT; BE; CH; DE; FR; GB; IT; LI; LU; NL;
 SE

- end of record -

?

Display 4/3/3 (Item 3 from file: 312)

DIALOG(R)File 312:CA SEARCH(R)

(c) 1997 American Chemical Society. All rts. reserv.

106210545 CA: 106(25)210545q PATENT
 Method for detecting an analyte moiety by means of signal localization
 INVENTOR(AUTHOR): Rabbani, Elazar
 LOCATION: USA
 ASSIGNEE: Enzo Biochem, Inc.

PATENT: European Pat. Appl. ; EP 212670 A2 DATE: 870204
APPLICATION: EP 8611128 (860828) *US 770828 (850829) *US 774118 (850909)
*US 863742 (860515)
PAGES: 15 pp. CODEN: EPXXDW LANGUAGE: English CLASS: G01N-033/543A;
G01N-033/542B; C12Q-001/00B; C12Q-001/68B; G01N-033/566B; G01N-033/68B;
G01N-033/569B; G01N-033/74B; G01N-033/88B DESIGNATED COUNTRIES: AT; BE; CH
; DE; FR; GB; IT; LI; LU; NL; SE

- end of record -

?

Display 4/3/4 (Item 1 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

127322794 CA: 127(23)322794k PATENT
Property-affecting and/or property-exhibiting compositions for
therapeutic and diagnostic uses
INVENTOR(AUTHOR): Rabbani, Elazar; Stavrianopoulos, Jannis G.; Donegan,
James J.; Liu, Dakai; Kelker, Norman E.; Engelhardt, Dean L.
LOCATION: USA
ASSIGNEE: Enzo Therapeutics, Inc.
PATENT: Canada Pat Appl ; CA 2190304 AA DATE: 19970616
APPLICATION: CA 2190304 (19961114) *US 574443 (19951215)
PAGES: 275 pp. CODEN: CPXXEB LANGUAGE: English CLASS: C07H-021/00A;
A61K-047/48B; A61K-031/70B; A61K-038/55B

- end of record -

?

Display 4/3/5 (Item 2 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

123220269 CA: 123(17)220269t PATENT
Novel process, construct and conjugate for producing multiple nucleic
acid copies under isostatic conditions
INVENTOR(AUTHOR): Engelhardt, Dean L.; Stavrianopoulos, Jannis G.;
Rabbani, Elazar; Donegan, James J.
LOCATION: USA
ASSIGNEE: Enzo Diagnostics, Inc.
PATENT: European Pat. Appl. ; EP 667393 A2 DATE: 950816
APPLICATION: EP 95100438 (950113) *US 182621 (940113)
PAGES: 49 pp. CODEN: EPXXDW LANGUAGE: English CLASS: C12N-015/10A;
C12Q-001/68B DESIGNATED COUNTRIES: AT; BE; CH; DE; DK; ES; FR; GB; GR; IE;
IT; LI; LU; MC; NL; PT; SE

- end of record -

?

Display 4/3/6 (Item 3 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

121075319 CA: 121(7)75319m PATENT
Antisense constructs for inhibiting or regulating the functions of an
immune response gene and their uses
INVENTOR(AUTHOR): Rabbani, Elazar
LOCATION: USA
ASSIGNEE: ENZO Therapeutics, Inc.
PATENT: European Pat. Appl. ; EP 601585 A2 DATE: 940615
APPLICATION: EP 93119894 (931209) *US 988256 (921209)
PAGES: 18 pp. CODEN: EPXXDW LANGUAGE: English CLASS: C12N-015/11A;
C12N-001/20B DESIGNATED COUNTRIES: DE; FR; GB; IT

- end of record -

?

Display 4/3/7 (Item 4 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

108201342 CA: 108(23)201342k PATENT
Analyte detection by means of fluorescent energy transfer
INVENTOR(AUTHOR): Stavrianopoulos, Jannis; Rabbani, Elazar; Abrams,
Samuel B.; Wetmur, James Gerard
LOCATION: USA
ASSIGNEE: Enzo Biochem, Inc.
PATENT: European Pat. Appl. ; EP 242527 A2 DATE: 871028
APPLICATION: EP 87102315 (870218) *US 831250 (860219)
PAGES: 66 pp. CODEN: EPXXDW LANGUAGE: English CLASS: G01N-021/64A
DESIGNATED COUNTRIES: CH; DE; FR; GB; GR; IT; LI; SE

- end of record -

?

Display 4/3/8 (Item 5 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

108183293 CA: 108(21)183293p PATENT
Method for labeling polynucleotide sequences as hybridization probes
INVENTOR(AUTHOR): Stavrianopoulos, Jannis; Rabbani, Elazar
LOCATION: USA
ASSIGNEE: Enzo Biochem, Inc.
PATENT: European Pat. Appl. ; EP 212546 A2 DATE: 870304
APPLICATION: EP 86111137 (860812) *US 765288 (850813)
PAGES: 23 pp. CODEN: EPXXDW LANGUAGE: English CLASS: C07H-021/00A;
C12Q-001/68 DESIGNATED COUNTRIES: AT; BE; CH; DE; FR; GB; IT; LI; LU; NL;
SE

- end of record -

?

Display 4/3/9 (Item 6 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

106210545 CA: 106(25)210545q PATENT
Method for detecting an analyte moiety by means of signal localization
INVENTOR(AUTHOR): Rabbani, Elazar
LOCATION: USA
ASSIGNEE: Enzo Biochem, Inc.
PATENT: European Pat. Appl. ; EP 212670 A2 DATE: 870304
APPLICATION: EP 86111928 (860828) *US 770828 (850829) *US 774118 (850909)
*US 863742 (860515)
PAGES: 15 pp. CODEN: EPXXDW LANGUAGE: English CLASS: G01N-033/543A;
G01N-033/542B; C12Q-001/00B; C12Q-001/68B; G01N-033/566B; G01N-033/68B;
G01N-033/569B; G01N-033/74B; G01N-033/88B DESIGNATED COUNTRIES: AT; BE; CH
; DE; FR; GB; IT; LI; LU; NL; SE

- end of record -

?

Display 4/3/10 (Item 7 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

105057480 CA: 105(7)57480x PATENT
Composition and method for the detection of the presence of a

polynucleotide sequence of interest

INVENTOR(AUTHOR): Rabbani, Elazar; Engelhardt, Dean

LOCATION: USA

ASSIGNEE: Enzo Biochem, Inc.

PATENT: European Pat. Appl. ; EP 173339 A2 DATE: 860305

APPLICATION: EP 85110910 (850829) *US 646171 (840830)

PAGES: 41 pp. CODEN: EPXXDW LANGUAGE: English CLASS: C12Q-001/68A;
C12N-015/00 DESIGNATED COUNTRIES: AT; BE; CH; DE; FR; GB; IT; LI; LU; NL;
SE

- end of record -

?

Display 4/3/11 (Item 8 from file: 399)

DIALOG(R)File 399:CA SEARCH(R)

(c) 1998 American Chemical Society. All rts. reserv.

104145119 CA: 104(17)145119w PATENT

Hybridization method for the detection of genetic materials

INVENTOR(AUTHOR): Rabbani, Elazar; Engelhardt, Dean L.

LOCATION: USA

ASSIGNEE: Enzo Bio Chem., Inc.

PATENT: European Pat. Appl. ; EP 159719 A2 DATE: 851030

APPLICATION: EP 85105130 (850426) *US 605022 (840427) *US 653816 (840924)

PAGES: 40 pp. CODEN: EPXXDW LANGUAGE: English CLASS: C12Q-001/68A;

G01N-033/58B DESIGNATED COUNTRIES: AT; BE; CH; DE; FR; GB; IT; LI; LU; NL;
SE

- end of record -

?

Display 4/3/12 (Item 9 from file: 399)

DIALOG(R)File 399:CA SEARCH(R)

(c) 1998 American Chemical Society. All rts. reserv.

103192752 CA: 103(23)192752m PATENT

Heterologous system for the detection of chemically-labeled DNA and other
biological materials providing a receptor or target moiety on them

INVENTOR(AUTHOR): Rabbani, Elazar

LOCATION: USA

ASSIGNEE: Enzo Bio Chem, Inc.

PATENT: European Pat. Appl. ; EP 151492 A2 DATE: 850814

APPLICATION: EP 85101353 (850208) *US 578732 (840209)

PAGES: 22 pp. CODEN: EPXXDW LANGUAGE: English CLASS: G01N-033/535A;
C12Q-001/68B; G01N-033/53B DESIGNATED COUNTRIES: AT; BE; CH; DE; FR; GB;
IT; LI; LU; NL; SE

- end of record -

?

Display 4/3/13 (Item 10 from file: 399)

DIALOG(R)File 399:CA SEARCH(R)

(c) 1998 American Chemical Society. All rts. reserv.

102109375 CA: 102(13)109375b PATENT

Assay method utilizing polynucleotide sequences

INVENTOR(AUTHOR): Pergolizzi, Robert G.; Stavrianopoulos, Jannis G.;
Rabbani, Elazar; Engelhardt, Dean L.; Kline, Stan

LOCATION: USA

ASSIGNEE: Enzo Bio Chem, Inc.

PATENT: European Pat. Appl. ; EP 128332 A1 DATE: 841219

APPLICATION: EP 84105028 (840504) *US 491929 (830505)

PAGES: 91 pp. CODEN: EPXXDW LANGUAGE: English CLASS: G01N-033/54;
G01N-033/58; C12Q-001/68; C07G-007/00 DESIGNATED COUNTRIES: AT; BE; CH; DE
; FR; GB; IT; LI; LU; NL; SE

- end of record -

?

Display 4/3/14 (Item 11 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

100188438 CA: 100(23)188438j PATENT
Modified labeled nucleotides and polynucleotides and methods of utilizing
and detecting them
INVENTOR(AUTHOR): Engelhardt, Dean; Rabbani, Elazar; Kline, Stanley;
Stavrianopoulos, Jannis G.; Kirtikar, Dollie
LOCATION: USA
ASSIGNEE: Enzo Biochem, Inc.
PATENT: European Pat. Appl. ; EP 97373 A2 DATE: 840104
APPLICATION: EP 83106112 (830622) *US 391440 (820623)
PAGES: 140 pp. CODEN: EPXXDW LANGUAGE: English CLASS: C07H-021/00;
C07H-019/04; C07G-007/00; A61K-031/70; C12P-021/00; G01N-033/48;
C07C-155/03 DESIGNATED COUNTRIES: AT; BE; CH; DE; FR; GB; IT; LI; LU; NL;
SE

- end of record -

?

Display 4/3/15 (Item 12 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

83189447 CA: 83(23)189447d JOURNAL
Presence of polyriboadenylate sequences in pulse-labeled RNA of
Escherichia coli
AUTHOR(S): Srinivasan, P. R.; Ramanarayanan, M.; Rabbani, Elazar
LOCATION: Coll. Physicians Surg., Columbia Univ., New York, N. Y.
JOURNAL: Proc. Natl. Acad. Sci. U. S. A. DATE: 1975 VOLUME: 72
NUMBER: 8 PAGES: 2910-14 CODEN: PNASA6 LANGUAGE: English

- end of record -

?

Display 4/3/16 (Item 13 from file: 399)
DIALOG(R)File 399:CA SEARCH(R)
(c) 1998 American Chemical Society. All rts. reserv.

78108062 CA: 78(17)108062w JOURNAL
Role of the translocation factor G in the regulation of ribonucleic acid
synthesis
AUTHOR(S): Rabbani, Elazar; Srinivasan, P. R.
LOCATION: Coll. Physicians Surg., Columbia Univ., New York, N. Y.
JOURNAL: J. Bacteriol. DATE: 1973 VOLUME: 113 NUMBER: 3 PAGES:
1177-83 CODEN: JOBAAY LANGUAGE: English

- end of display -

?

>>>Page beyond end of display invalid
? s adeno-associated and retrovir?

706 ADENO-ASSOCIATED
237191 RETROVIR?
S5 32 ADENO-ASSOCIATED AND RETROVIR?
? rd s5

>>>Duplicate detection is not supported for File 42.
>>>Duplicate detection is not supported for File 140.

>>>Duplicate detection is not supported for File 187.
>>>Duplicate detection is not supported for File 189.
>>>Duplicate detection is not supported for File 286.
>>>Duplicate detection is not supported for File 428.
>>>Duplicate detection is not supported for File 429.
>>>Duplicate detection is not supported for File 441.
>>>Duplicate detection is not supported for File 446.
>>>Duplicate detection is not supported for File 449.
>>>Duplicate detection is not supported for File 452.
>>>Duplicate detection is not supported for File 453.
>>>Duplicate detection is not supported for File 455.
>>>Duplicate detection is not supported for File 456.

>>>Records from unsupported files will be retained in the RD set.

...completed examining records

S6 31 RD S5 (unique items)
? d s6/3/1-31

Display 6/3/1 (Item 1 from file: 357)
DIALOG(R)File 357:Derwent Biotechnology Abs
(c) 1998 Derwent Publ Ltd. All rts. reserv.

213018 DBA Accession No.: 97-08139

Adeno-associated virus type-2-mediated transfer of ecotropic retro virus
receptor cDNA allows ecotropic **retroviral** transduction of
established and primary human cells - for use in gene therapy

AUTHOR: Qing K; Bachelot T; Mukherjee P; Wang X-S; Peng L; Yoder M C;
Leboulch P; Srivastava A

CORPORATE AFFILIATE: Univ.Indiana Univ.Harvard
Massachusetts-Inst.Technol. Harvard-Med.Sch.

CORPORATE SOURCE: Department of Microbiology and Immunology, Indiana
University School of Medicine, 635 Barnhill Drive, Medical Science
Building, Room 255, IN 46202-5120, USA. email:arun
srivastava@iucc.iupui.edu

JOURNAL: J.Virol. (71, 7, 5663-67) 1997

ISSN: 0022-538X CODEN: JOVIAM

LANGUAGE: English

- end of record -

?

Display 6/3/2 (Item 2 from file: 357)
DIALOG(R)File 357:Derwent Biotechnology Abs
(c) 1998 Derwent Publ Ltd. All rts. reserv.

202100 DBA Accession No.: 96-12871

Recombinant adeno-associated virus-mediated high-efficiency, transient
expression of the murine cationic amino acid transporter (ecotropic
retroviral receptor) - permits stable transduction of human HeLa
cells by ecotropic **retroviral** vectors; mouse ecotropic retro
virus receptor gene transfer for stable retro virus vector transduction

AUTHOR: Bertran J; Miller J L; Yang Y; Fenimore-Justman A; Rueda F;
Vanin E F; +Nienhuis A W

CORPORATE AFFILIATE: St.Jude-Child.Res.Hosp.Memphis
Nat.Inst.Diabetes-Dig.Kidney-Dis.Bethesda; Genet.Ther.

CORPORATE SOURCE: Division of Experimental Hematology, Department of
Hematology/Oncology, St. Jude Children's Research Hospital, 332 N.
Lauderdale, Memphis, TN 38105, USA.

JOURNAL: J.Virol. (70, 10, 6759-66) 1996

ISSN: 0022-538X CODEN: JOVIAM

LANGUAGE: English

- end of record -

?

Display 6/3/3 (Item 3 from file: 357)
DIALOG(R)File 357:Derwent Biotechnology Abs
(c) 1998 Derwent Publ Ltd. All rts. reserv.

173597 DBA Accession No.: 95-00418
Preclinical studies toward gene therapy of prostate cancer - using a rat
model for interleukin-2 cytokine-mediated gene therapy (conference
abstract)
AUTHOR: Vieweg J; Snyder D; Boczkowski D; Roberson K; Robertson C;
Philip M; Philip R; Gilboa E
CORPORATE AFFILIATE: Univ.Duke Appl.Immunosci.
CORPORATE SOURCE: Department of Surgery, Duke University Medical Center,
Durham, NC, USA.
JOURNAL: Gene Ther.Meet.Cold Spring Harbor (181) 1994
CODEN: 9999M
CONFERENCE PROCEEDINGS: Gene Therapy, Cold Spring Harbor, New York, 21-25
September, 1994.
LANGUAGE: English

- end of record -

?

Display 6/3/4 (Item 1 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

16293765 Genuine Article#: YQ942 No. References: 46
Title: Adeno-associated virus type 2-mediated gene transfer: Correlation of
tyrosine phosphorylation of the cellular single-stranded D
sequence-binding protein with transgene expression in human cells in
vitro and murine tissues in vivo
Author(s): Qing KY; Khuntirat B; Mah C; Kube DM; Wang XS; Ponnazhagan S;
Zhou SZ; Dwarki VJ; Yoder MC; Srivastava A (REPRINT)
Corporate Source: INDIANA UNIV,SCH MED, DEPT MICROBIOL & IMMUNOL, 635
BARNHILL DR, MED SCI BLDG ROOM 257/INDIANAPOLIS//IN/46202 (REPRINT);
INDIANA UNIV,SCH MED, DEPT MICROBIOL & IMMUNOL/INDIANAPOLIS//IN/46202;
INDIANA UNIV,SCH MED, WALTHER ONCOL CTR/INDIANAPOLIS//IN/46202; INDIANA
UNIV,SCH MED, HERMAN B WELLS CTR PEDIAT RES/INDIANAPOLIS//IN/46202;
INDIANA UNIV,SCH MED, DEPT BIOCHEM & MOL BIOL/INDIANAPOLIS//IN/46202;
INDIANA UNIV,SCH MED, DEPT MED, DIV HEMATOL
ONCOL/INDIANAPOLIS//IN/46202; WALTHER CANC INST,/INDIANAPOLIS//IN/46202
; CHIRON CORP,DEPT VIROL/EMERYVILLE//CA/94608

-more-

?

Display 6/3/4 (Item 1 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.
Journal: JOURNAL OF VIROLOGY, 1998, V72, N2 (FEB), P1593-1599
ISSN: 0022-538X Publication date: 19980200
Publisher: AMER SOC MICROBIOLOGY, 1325 MASSACHUSETTS AVENUE, NW,
WASHINGTON, DC 20005-4171
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/5 (Item 2 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

16220430 Genuine Article#: YK825 No. References: 25
Title: Tissue-specific expression of herpes simplex virus thymidine kinase
gene delivered by adeno-associated virus inhibits the growth of human

hepatocellular carcinoma in athymic mice
Author(s): Su H (REPRINT); Lu RH; Chang JC; Kan YW
Corporate Source: UNIV CALIF SAN FRANCISCO, DEPT LAB MED, 3RD & PARNASSUS
AVE, ROOM U426/SAN FRANCISCO//CA/94143 (REPRINT); UNIV CALIF SAN
FRANCISCO, HOWARD HUGHES MED INST/SAN FRANCISCO//CA/94143
Journal: PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED
STATES OF AMERICA, 1997, V94, N25 (DEC 9), P13891-13896
ISSN: 0027-8424 Publication date: 19971209
Publisher: NATL ACAD SCIENCES, 2101 CONSTITUTION AVE NW, WASHINGTON, DC
20418
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/6 (Item 3 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

16205482 Genuine Article#: YJ908 No. References: 46
Title: Robust, but transient expression of adeno-associated
virus-transduced genes during human T lymphopoiesis
Author(s): Gardner JP; Zhu HH; Colosi PC; Kurtzman GJ; Scadden DT
(REPRINT)
Corporate Source: HARVARD UNIV, SCH MED, MASSACHUSETTS GEN HOSP, CANC CTR,
AIDS RES CTR, DIV EXPT HEMATOL, /CHARLESTOWN//MA/02129 (REPRINT);
HARVARD UNIV, SCH MED, MASSACHUSETTS GEN HOSP, CANC CTR, AIDS RES CTR,
DIV EXPT HEMATOL/CHARLESTOWN//MA/02129; AVIGEN INC, /ALAMEDA//CA/
Journal: BLOOD, 1997, V90, N12 (DEC 15), P4854-4864
ISSN: 0006-4971 Publication date: 19971215
Publisher: W B SAUNDERS CO, INDEPENDENCE SQUARE WEST CURTIS CENTER, STE
300, PHILADELPHIA, PA 19106-3399
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/7 (Item 4 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

16172411 Genuine Article#: YG424 No. References: 0
Title: Successful in vivo marking of nonhuman primate lymphocytes by
recombinant adeno-associated viral vectors: Direct comparison with
retroviral vectors.
Author(s): Hanazono Y; Brown KE; Metzger M; Young NS; Kurtzman G; Donahue
RE; Dunbar CE
Corporate Source: NHLBI, HEMATOL BRANCH, NIH/BETHESDA//MD/20892; AVIGEN
INC, /ALAMEDA//CA/
Journal: BLOOD, 1997, V90, N10, 1, 1 (NOV 15), P1156-1156
ISSN: 0006-4971 Publication date: 19971115
Publisher: W B SAUNDERS CO, INDEPENDENCE SQUARE WEST CURTIS CENTER, STE
300, PHILADELPHIA, PA 19106-3399
Language: English Document Type: MEETING ABSTRACT

- end of record -

?

Display 6/3/8 (Item 5 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

16132012 Genuine Article#: YE702 No. References: 39
Title: Transfer of contaminants in adeno-associated virus vector stocks can
mimic transduction and lead to artifactual results

Author(s): Alexander IE; Russell DW; Miller AD (REPRINT)
Corporate Source: FRED HUTCHINSON CANC RES CTR, 1100 FAIRVIEW AVE N, ROOM
C2-023/SEATTLE//WA/98109 (REPRINT); FRED HUTCHINSON CANC RES
CTR, /SEATTLE//WA/98109; NEW CHILDRENS HOSP, GENE THERAPY RES
UNIT/PARRAMATTA/NSW 2124/AUSTRALIA/; CHILDRENS MED RES
INST, /PARRAMATTA/NSW 2124/AUSTRALIA/; UNIV WASHINGTON, DIV
HEMATOL/SEATTLE//WA/98195; UNIV WASHINGTON, DEPT MED/SEATTLE//WA/98195;
UNIV WASHINGTON, DEPT PATHOL/SEATTLE//WA/98195
Journal: HUMAN GENE THERAPY, 1997, V8, N16 (NOV 1), P1911-1920
ISSN: 1043-0342 Publication date: 19971101
Publisher: MARY ANN LIEBERT INC PUBL, 2 MADISON AVENUE, LARCHMONT, NY 10538
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/9 (Item 6 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

16117539 Genuine Article#: YD940 No. References: 34
Title: Gene transfer into vascular cells using adeno-associated virus (AAV)
vectors
Author(s): Maeda Y; Ikeda U; Ogasawara Y; Urabe M; Takizawa T; Saito T;
Colosi P; Kurtzman G; Shimada K; Ozawa K (REPRINT)
Corporate Source: JICHI MED SCH, INST HEMATOL, DEPT BIOL MOL/MINAMI
KAWACHI/TOCHIGI 32904/JAPAN/ (REPRINT); JICHI MED SCH, INST HEMATOL,
DEPT BIOL MOL/MINAMI KAWACHI/TOCHIGI 32904/JAPAN/; JICHI MED SCH, DEPT
CARDIOL/MINAMI KAWACHI/TOCHIGI 32904/JAPAN/; JICHI MED SCH, DEPT
ANAT/MINAMI KAWACHI/TOCHIGI 32904/JAPAN/; AVIGEN INC, /ALAMEDA//CA/
Journal: CARDIOVASCULAR RESEARCH, 1997, V35, N3 (SEP), P514-521
ISSN: 0008-6363 Publication date: 19970900
Publisher: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/10 (Item 7 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

16067353 Genuine Article#: BJ66L No. References: 157
Title: Adeno-associated virus based vectors as antivirals
Author(s): Wong KK (REPRINT) ; Chatterjee S
Corporate Source: CITY HOPE NATL MED CTR, DEPT HEMATOL & BONE MARROW
TRANSPLANTAT, 1500 E DUARTE RD/DUARTE//CA/91010 (REPRINT); DIV INFECT
DIS, /DUARTE//CA/91010; CITY HOPE NATL MED CTR, BECKMAN RES INST, DIV
PEDIAT/DUARTE//CA/91010
, 1996, V218, P145-170
ISSN: 0070-217X Publication date: 19960000
Publisher: SPRINGER-VERLAG BERLIN, HEIDELBERGER PLATZ 3, W-1000 BERLIN 33,
GERMANY
Series: CURRENT TOPICS IN MICROBIOLOGY AND IMMUNOLOGY
Language: English Document Type: REVIEW

- end of record -

?

Display 6/3/11 (Item 8 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15871677 Genuine Article#: XN039 No. References: 55
Title: Transduction of the human immunodeficiency virus type 1 promoter

into human chromosomal DNA by adeno-associated virus Effects on
promoter activity

Author(s): Nahreini P; Mathews MB (REPRINT)
Corporate Source: UNIV MED & DENT NEW JERSEY, NEW JERSEY MED SCH, DEPT
BIOCHEM & MOL BIOL, 185 S ORANGE AVE/NEWARK//NJ/07103 (REPRINT); COLD
SPRING HARBOR LAB, /COLD SPRING HARBOR//NY/11724
Journal: VIROLOGY, 1997, V234, N1 (JUL 21), P42-50
ISSN: 0042-6822 Publication date: 19970721
Publisher: ACADEMIC PRESS INC JNL-COMP SUBSCRIPTIONS, 525 B ST, STE 1900,
SAN DIEGO, CA 92101-4495
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/12 (Item 9 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15798785 Genuine Article#: XH034 No. References: 41
Title: Efficient photoreceptor-targeted gene expression in vivo by
recombinant adeno-associated virus
Author(s): Flannery JG (REPRINT) ; Zolotukhin S; Vaquero MI; LaVail MM;
Muzyczka N; Hauswirth WW
Corporate Source: UNIV CALIF BERKELEY, SCH OPTOMETRY/BERKELEY//CA/94720
(REPRINT); UNIV CALIF BERKELEY, NEUROSCI GRP/BERKELEY//CA/94720; UNIV
FLORIDA, COLL MED, DEPT MOL GENET/GAINESVILLE//FL/32610; UNIV
FLORIDA, COLL MED, DEPT MICROBIOL/GAINESVILLE//FL/32610; UNIV
FLORIDA, COLL MED, DEPT OPHTHALMOL/GAINESVILLE//FL/32610; UNIV CALIF SAN
FRANCISCO, BECKMAN VIS CTR/SAN FRANCISCO//CA/94143
Journal: PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED
STATES OF AMERICA, 1997, V94, N13 (JUN 24), P6916-6921
ISSN: 0027-8424 Publication date: 19970624
Publisher: NATL ACAD SCIENCES, 2101 CONSTITUTION AVE NW, WASHINGTON, DC
20418

-more-

?

Display 6/3/12 (Item 9 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/13 (Item 10 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15700134 Genuine Article#: WZ920 No. References: 44
Title: Adeno-associated virus 2-mediated gene transfer in vivo:
organ-tropism and expression of transduced sequences in mice
Author(s): Ponnazhagan S; Mukherjee P; Yoder MC; Wang XS; Zhou SZ; Kaplan J
; Wadsworth S; Srivastava A (REPRINT)
Corporate Source: INDIANA UNIV, SCH MED, DEPT MED, DIV HEMATOL
ONCOL/INDIANAPOLIS//IN/46202 (REPRINT); INDIANA UNIV, SCH MED, DEPT MED,
DIV HEMATOL ONCOL/INDIANAPOLIS//IN/46202; INDIANA UNIV, SCH MED, WALTHER
ONCOL CTR/INDIANAPOLIS//IN/46202; INDIANA UNIV, SCH MED, DEPT BIOCHEM &
MOL BIOL/INDIANAPOLIS//IN/46202; INDIANA UNIV, SCH MED, HERMAN B WELLS
CTR PEDIAT RES/INDIANAPOLIS//IN/46202; GENZYME
CORP, /FRAMINGHAM//MA/01701; INDIANA UNIV, SCH MED, DEPT IMMUNOL &
MICROBIOL/INDIANAPOLIS//IN/46202
Journal: GENE, 1997, V190, N1, SI (APR 29), P203-210

-more-

?

Display 6/3/13 (Item 10 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/14 (Item 11 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15675927 Genuine Article#: WY484 No. References: 57
Title: Gene therapy strategies for the treatment of thalassemia using
adeno-associated virus vectors
Author(s): Podsakoff GM; Couto LB; Suroskey RT; McQuiston SA; Kurtzman GJ
(REPRINT)
Corporate Source: AVIGEN INC,1201 HARBOR BAY PKWY/ALAMEDA//CA/94502
(REPRINT); AVIGEN INC,/ALAMEDA//CA/94502
Journal: INTERNATIONAL JOURNAL OF PEDIATRIC HEMATOLOGY/ONCOLOGY, 1997, V4,
N1, P41-51
ISSN: 1070-2903 Publication date: 19970000
Publisher: HARWOOD ACAD PUBL GMBH, C/O STBS LTD, PO BOX 90, READING, BERKS,
ENGLAND RG1 8JL
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/15 (Item 12 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15544170 Genuine Article#: WP336 No. References: 28
Title: Detection of adeno-associated virus type 2 in sorted human bone
marrow progenitor cells
Author(s): Anderson RJ (REPRINT) ; Galatowicz G; Macdonald ID; Lowdell MW;
Corbett TJ; Prentice HG
Corporate Source: ROYAL FREE HOSP,SCH MED, DEPT HAEMATOL, BONE MARROW
TRANSPLANT PROGRAM/LONDON NW3 2QG//ENGLAND/ (REPRINT)
Journal: EXPERIMENTAL HEMATOLOGY, 1997, V25, N3 (MAR), P256-262
ISSN: 0301-472X Publication date: 19970300
Publisher: CARDEN JENNINGS PUBL CO LTD, BLAKE CTR, STE 200, 1224 W MAIN ST,
CHARLOTTESVILLE, VA 22903
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/16 (Item 13 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15454292 Genuine Article#: WH938 No. References: 50
Title: Lack of site-specific integration of the recombinant
adeno-associated virus 2 genomes in human cells
Author(s): Ponnazhagan S; Erikson D; Kearns WG; Zhou SZ; Nahreini P; Wang
XS; Srivastava A (REPRINT)
Corporate Source: INDIANA UNIV,SCH MED, DEPT MICROBIOL & IMMUNOL, 635

BARNHILL DR, MS-255/INDIANAPOLIS//IN/46202 (REPRINT); INDIANA UNIV, SCH
MED, DEPT MICROBIOL & IMMUNOL/INDIANAPOLIS//IN/46202; INDIANA UNIV, SCH
MED, DEPT MED, DIV HEMATOL ONCOL/INDIANAPOLIS//IN/46202; INDIANA
UNIV, SCH MED, WALTHER ONCOL CTR/INDIANAPOLIS//IN/46202; EASTERN
VIRGINIA MED SCH, JONES INST REPROD MED, CTR PEDIAT
RES/NORFOLK//VA/23501; JOHNS HOPKINS UNIV, SCH MED, CTR MED
GENET/BALTIMORE//MD/21287

Journal: HUMAN GENE THERAPY, 1997, V8, N3 (FEB 10), P275-284

ISSN: 1043-0342 Publication date: 19970210

Publisher: MARY ANN LIEBERT INC PUBL, 2 MADISON AVENUE, LARCHMONT, NY 10538

-more-

?

Display 6/3/16 (Item 13 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/17 (Item 14 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15453480 Genuine Article#: WH716 No. References: 74
Title: Antisense inhibition and adeno-associated viral vector delivery for
reducing hypertension
Author(s): Phillips MI (REPRINT)
Corporate Source: UNIV FLORIDA, COLL MED, DEPT PHYSIOL, BOX
100274/GAINESVILLE//FL/32610 (REPRINT)
Journal: HYPERTENSION, 1997, V29, N1,2 (JAN), P177-187
ISSN: 0194-911X Publication date: 19970100
Publisher: AMER HEART ASSOC, 7272 GREENVILLE AVENUE, DALLAS, TX 75231-4596
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/18 (Item 15 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15447888 Genuine Article#: WH172 No. References: 44
Title: Recombinant adeno-associated virus mediates a high level of gene
transfer but less efficient integration in the K562 human hematopoietic
cell line
Author(s): Malik P; McQuiston SA; Yu XJ; Pepper KA; Krall WJ; Podsakoff GM;
Kurtzman GJ; Kohn DB (REPRINT)
Corporate Source: UNIV SO CALIF, SCH MED, CHILDRENS HOSP LOS ANGELES, DIV
RES IMMUNOL BONE MARROW TRANSPLANT/LOS ANGELES//CA/90027 (REPRINT);
UNIV SO CALIF, SCH MED, CHILDRENS HOSP LOS ANGELES, DIV RES IMMUNOL BONE
MARROW TRANSPLANT/LOS ANGELES//CA/90027; UNIV SO CALIF, SCH MED,
CHILDRENS HOSP LOS ANGELES, DIV HEMATOL ONCOL/LOS ANGELES//CA/90027
Journal: JOURNAL OF VIROLOGY, 1997, V71, N3 (MAR), P1776-1783
ISSN: 0022-538X Publication date: 19970300
Publisher: AMER SOC MICROBIOLOGY, 1325 MASSACHUSETTS AVENUE, NW,
WASHINGTON, DC 20005-4171
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/19 (Item 16 from file: 434)

DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15384879 Genuine Article#: WD331 No. References: 35
Title: Comparison of **retroviral** and adeno-associated viral vectors
designed to express human clotting factor IX
Author(s): Chen L; Perlick H; Morgan RA (REPRINT)
Corporate Source: NIH,CLIN GENE THERAPY BRANCH, NATL CTR HUMAN GENOME RES,
GENE TRANSFER TECHNOL/BETHESDA//MD/20892 (REPRINT); NIH,CLIN GENE
THERAPY BRANCH, NATL CTR HUMAN GENOME RES, GENE TRANSFER
TECHNOL/BETHESDA//MD/20892
Journal: HUMAN GENE THERAPY, 1997, V8, N2 (JAN 20), P125-135
ISSN: 1043-0342 Publication date: 19970120
Publisher: MARY ANN LIEBERT INC PUBL, 2 MADISON AVENUE, LARCHMONT, NY 10538
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/20 (Item 17 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

15383940 Genuine Article#: WD320 No. References: 57
Title: Expression of the human multidrug resistance and glucocerebrosidase
cDNAs from adeno-associated vectors: Efficient promoter activity of AAV
sequencesand in vivo delivery via liposomes
Author(s): Baudard M; Flotte TR; Aran JM; Thierry AR; Pastan I; Pang MG;
Kearns WG; Gottesman MM (REPRINT)
Corporate Source: NCI,CELL BIOL LAB, NIH, BLDG 37, ROOM 1B22, 37 CONVENT
DR, MSC 4255/BETHESDA//MD/20892 (REPRINT); NCI,CELL BIOL LAB,
NIH/BETHESDA//MD/20892; NCI,MOL BIOL LAB, NIH/BETHESDA//MD/20892;
NCI,TUMOR CELL BIOL LAB, NIH/BETHESDA//MD/20892; JOHNS HOPKINS UNIV
HOSP,EUDOWOOD DIV PEDIAT RESP SCI/BALTIMORE//MD/21287; EASTERN VIRGINIA
MED SCH,CTR PEDIAT RES/NORFOLK//VA/23510; JOHNS HOPKINS UNIV,SCH MED,
CTR MED GENET/BALTIMORE//MD/21287
Journal: HUMAN GENE THERAPY, 1996, V7, N11 (JUL 10), P1309-1322
ISSN: 1043-0342 Publication date: 19960710
Publisher: MARY ANN LIEBERT INC PUBL, 2 MADISON AVENUE, LARCHMONT, NY 10538

-more-

?

Display 6/3/20 (Item 17 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.
Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- end of record -

?

Display 6/3/21 (Item 18 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

14018517 Genuine Article#: RH470 No. References: 58
Title: REGULATED HIGH-LEVEL HUMAN BETA-GLOBIN GENE-EXPRESSION IN
ERYTHROID-CELLS FOLLOWING RECOMBINANT ADENO-ASSOCIATED VIRUS-MEDIATED
GENE-TRANSFER
Author(s): EINERHAND MPW; ANTONIOU M; ZOLOTUKHIN S; MUZYCZKA N; BERNS KI;
GROSVELD F; VALERIO D
Corporate Source: LEIDEN UNIV,DEPT BIOCHEM MED,POB 3271/2280 GG
RIJSWIJK//NETHERLANDS//; NATL INST MED RES,GENE STRUCT & EXPRESS
LAB/LONDON NW7 1AA//ENGLAND//; SUNY STONY BROOK,DEPT MICROBIOL/STONY
BROOK//NY/11794; CORNELL UNIV,COLL MED,HEARST MICROBIOL RES CTR,DEPT

MICROBIOL/NEW YORK//NY/10021; ERASMUS UNIV ROTTERDAM, DEPT CELL
BIOL/3000 DR ROTTERDAM//NETHERLANDS/
Journal: GENE THERAPY, 1995, V2, N5 (JUL), P336-343
ISSN: 0969-7128
Language: ENGLISH Document Type: ARTICLE (Abstract Available)

- end of record -

?

Display 6/3/22 (Item 19 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

09769442 Genuine Article#: AV529 No. References: 54
Title: CONSTRUCTION OF A RECOMBINANT HUMAN PARVOVIRUS B19 -
ADENO-ASSOCIATED VIRUS-2 (AAV) DNA INVERTED TERMINAL REPEATS ARE
FUNCTIONAL IN AN AAV-B19 HYBRID VIRUS
Author(s): SRIVASTAVA CH; SAMULSKI RJ; LU L; LARSEN SH; SRIVASTAVA A
Corporate Source: INDIANA UNIV, SCH MED, DEPT MICROBIOL & IMMUNOL, 635
BARNHILL DR/INDIANAPOLIS//IN/46202; INDIANA UNIV, SCH MED, DEPT MICROBIOL
& IMMUNOL, 635 BARNHILL DR/INDIANAPOLIS//IN/46202; INDIANA UNIV, SCH
MED, WALTHER ONCOL CTR/INDIANAPOLIS//IN/46202; INDIANA UNIV, SCH MED, DIV
HEMATOL ONCOL/INDIANAPOLIS//IN/46202; INDIANA UNIV, SCH MED, DEPT
MED/INDIANAPOLIS//IN/46202; UNIV PITTSBURGH, DEPT BIOL
SCI/PITTSBURGH//PA/15217
Journal: PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED
STATES OF AMERICA, 1989, V86, N20, P8078-8082
Language: ENGLISH Document Type: ARTICLE

- end of record -

?

Display 6/3/23 (Item 20 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

09649279 Genuine Article#: AK284 No. References: 29
Title: HELPER-FREE STOCKS OF RECOMBINANT ADENO-ASSOCIATED VIRUSES - NORMAL
INTEGRATION DOES NOT REQUIRE VIRAL GENE-EXPRESSION
Author(s): SAMULSKI RJ; CHANG LS; SHENK T
Corporate Source: PRINCETON UNIV, LEWIS THOMAS LAB, DEPT
BIOL/PRINCETON//NJ/08544; PRINCETON UNIV, LEWIS THOMAS LAB, DEPT
BIOL/PRINCETON//NJ/08544; UNIV PITTSBURGH, DEPT BIOL
SCI/PITTSBURGH//PA/15217
Journal: JOURNAL OF VIROLOGY, 1989, V63, N9, P3822-3828
Language: ENGLISH Document Type: ARTICLE

- end of record -

?

Display 6/3/24 (Item 21 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

09600043 Genuine Article#: AF406 No. References: 60
Title: ADENO-ASSOCIATED VIRUS P5 PROMOTER CONTAINS AN ADENOVIRUS
E1A-INDUCIBLE ELEMENT AND A BINDING-SITE FOR THE MAJOR LATE
TRANSCRIPTION FACTOR
Author(s): CHANG LS; SHI Y; SHENK T
Corporate Source: PRINCETON UNIV, DEPT BIOL, HOWARD HUGHES MED
INST/PRINCETON//NJ/08544; PRINCETON UNIV, DEPT BIOL, HOWARD HUGHES MED
INST/PRINCETON//NJ/08544
Journal: JOURNAL OF VIROLOGY, 1989, V63, N8, P3479-3488
Language: ENGLISH Document Type: ARTICLE

- end of record -

?

Display 6/3/25 (Item 22 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

09477258 Genuine Article#: U5839 No. References: 57
Title: RESCUE AND REPLICATION OF THE ADENO-ASSOCIATED VIRUS-2 GENOME IN
MORTAL AND IMMORTAL HUMAN-CELLS
Author(s): NAHREINI P; SRIVASTAVA A
Corporate Source: INDIANA UNIV,SCH MED,DEPT MICROBIOL & IMMUNOL,DIV HEMATOL
ONCOL/INDIANAPOLIS//IN/46223; INDIANA UNIV,SCH MED,DEPT MED,DIV HEMATOL
ONCOL/INDIANAPOLIS//IN/46223
Journal: INTERVIROLOGY, 1989, V30, N2, P74-85
Language: ENGLISH Document Type: ARTICLE

- end of record -

?

Display 6/3/26 (Item 23 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

09059394 Genuine Article#: Q2940 No. References: 19
Title: ADENO-ASSOCIATED VIRUS - A VECTOR SYSTEM FOR EFFICIENT INTRODUCTION
AND INTEGRATION OF DNA INTO A VARIETY OF MAMMALIAN-CELL TYPES
Author(s): LEBKOWSKI JS; MCNALLY MM; OKARMA TB; LERCH LB
Corporate Source: APPL IMMUNE SCI INC,DIV MOLEC BIOL,200 CONSTITUT DR/MENLO
PK//CA/94025
Journal: MOLECULAR AND CELLULAR BIOLOGY, 1988, V8, N10, P3988-3996
Language: ENGLISH Document Type: ARTICLE

- end of record -

?

Display 6/3/27 (Item 24 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

08585966 Genuine Article#: L9202 No. References: 23
Title: GENE-TRANSFER INTO HEMATOPOIETIC PROGENITOR CELLS MEDIATED BY AN
ADENO-ASSOCIATED VIRUS VECTOR
Author(s): LAFACE D; HERMONAT P; WAKELAND E; PECK A
Corporate Source: UNIV FLORIDA,DEPT PATHOL/GAINESVILLE//FL/32610
Journal: VIROLOGY, 1988, V162, N2, P483-486
Language: ENGLISH Document Type: NOTE

- end of record -

?

Display 6/3/28 (Item 25 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

08257841 Genuine Article#: J5181 No. References: 249
Title: ADENO-ASSOCIATED VIRUSES - AN UPDATE
Author(s): BERNS KI; BOHENZKY RA
Corporate Source: CORNELL UNIV,MED CTR,COLL MED,DEPT MICROBIOL/NEW
YORK//NY/10021
Journal: ADVANCES IN VIRUS RESEARCH, 1987, V32, P243-306
Language: ENGLISH Document Type: REVIEW, BIBLIOGRAPHY

- end of record -

?

Display 6/3/29 (Item 26 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

07591740 Genuine Article#: E4449 No. References: 56
Title: LATENT INFECTION OF KB CELLS WITH ADENO-ASSOCIATED VIRUS TYPE-2
Author(s): LAUGHLIN CA; CARDELLICHIO CB; COON HC
Corporate Source: UNIFORMED SERV UNIV HLTH SCI, F EDWARD HEBERT SCH MED, DEPT
PATHOL/BETHESDA//MD/20814
Journal: JOURNAL OF VIROLOGY, 1986, V60, N2, P515-524
Language: ENGLISH Document Type: ARTICLE

- end of record -

?

Display 6/3/30 (Item 27 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

07437695 Genuine Article#: D4179 No. References: 66
Title: NEGATIVE AND POSITIVE REGULATION IN TRANS OF GENE-EXPRESSION FROM
ADENO-ASSOCIATED VIRUS VECTORS IN MAMMALIAN-CELLS BY A VIRAL REP
GENE-PRODUCT
Author(s): TRATSCHIN JD; TAL J; CARTER BJ
Corporate Source: NIADDKD, MOLEC & CELLULAR BIOL LAB/BETHESDA//MD/20892
Journal: MOLECULAR AND CELLULAR BIOLOGY, 1986, V6, N8, P2884-2894
Language: ENGLISH Document Type: ARTICLE

- end of record -

?

Display 6/3/31 (Item 28 from file: 434)
DIALOG(R)File 434:Scisearch(R) Cited Ref Sci
(c) 1998 Inst for Sci Info. All rts. reserv.

06780312 Genuine Article#: ATE60 No. References: 50
Title: ADENO-ASSOCIATED VIRUS VECTOR FOR HIGH-FREQUENCY INTEGRATION,
EXPRESSION, AND RESCUE OF GENES IN MAMMALIAN-CELLS
Author(s): TRATSCHIN JD; MILLER IL; SMITH MG; CARTER BJ
Corporate Source: NIADDKD, MOLEC & CELLULAR BIOL LAB/BETHESDA//MD/20205
Journal: MOLECULAR AND CELLULAR BIOLOGY, 1985, V5, N11, P3251-3260
Language: ENGLISH Document Type: ARTICLE

- end of display -

?

>>>Page beyond end of display invalid
?